



2020

PRODUCT CATALOGUE
CONSTRUCTION
TYRES AND TRACKS



**ROAD
FREE
COMPANY**



Camso Inc. reserves the right to change or discontinue any specifications, designs, features, models, or accessories shown or indicated without notice.

TABLE OF CONTENTS

TOUGH IS OUR WAY OF LIFE	4	CAMSO LM L2	37
CONSTRUCTION TYRES	5	CAMSO LM L3	37
NEXT GENERATION PRODUCTS	6	CAMSO WHL 773	38
PRODUCT NAMING SYSTEM CONSTRUCTION TYRES	7	CAMSO WHL 775	38
NAMING REFERENCE GUIDE CONSTRUCTION TYRES	8	NEW CAMSO GRD 732	39
TYRES FOR SKID STEER LOADERS	11	CAMSO TLH 732	39
CAMSO SKS 732	12	CAMSO TLH 753	40
CAMSO SKS 532	13	CAMSO TLH 532	40
CAMSO SKS 332	13	CAMSO GRD 533R	41
CAMSO SKS 753	14	CAMSO ADT 753R	41
CAMSO SKS 775	14	TYRES FOR WHEEL EXCAVATORS AND MATERIAL HANDLERS	43
CAMSO SKS HAULER SKZ	15	CAMSO WEX 752	44
CAMSO SKS 511	15	CAMSO WL	45
CAMSO SKS 792S	16	CAMSO WEX 552	45
CAMSO SKS 782S	16	NEW CAMSO WEX 553	46
CAMSO SKS 793S	17	NEW CAMSO WEX 732	46
CAMSO SKS 796S	18	SOLIDEAL HAULER LT	47
CAMSO SKS 786S	18	CAMSO WEX 583S	48
TYRES FOR TELEHANDLERS, COMPACT WHEEL LOADERS AND BACKHOE LOADERS	19	SOLIDEAL MAGNUM BAGGER	48
NEW CAMSO MPT 732	20	TYRES FOR SPECIALTY APPLICATIONS	49
CAMSO TM R4	22	CAMSO CMP 576	50
CAMSO SL R4	22	CAMSO CMP 533	50
CAMSO MPT 532R	23	NEW CAMSO AWP 583S	51
CAMSO MPT 553R	23	CAMSO MST 776	52
CAMSO MPT 753	24	CONSTRUCTION TRACKS	53
CAMSO 4L I3	25	THE CAMSO DIFFERENCE	54
CAMSO BHL 753	25	CAMSO MEX HXD	56
CAMSO 4L R1	26	CAMSO MEX SD	57
CAMSO TM R1	26	CAMSO HXD RUBBER PADS	58
CAMSO BHL 532	27	CAMSO CTL HXD	60
CAMSO BHL 530	27	CAMSO CTL SD	61
CAMSO TLH 792S	28	CAMSO MTL HXD	62
CAMSO MPT 793S	29	NEW CAMSO STEEL OTT	63
TYRES FOR MINI-DUMPERS AND SELF LOADING MIXERS	31	CAMSO RUBBER OTT	63
CAMSO MPT 552	32	CAMSO CARRIER HXD	64
CAMSO DMP 532	32	CAMSO HXD CHEVRON	64
TYRES FOR WHEEL LOADERS, MOTOR GRADERS AND ARTICULATED DUMP TRUCKS	33	TRACK COMPLETE LINE OVERVIEW	65
CAMSO WHL 753R	34	TYRE COMPLETE LINE OVERVIEW	66
CAMSO WHL 775R	35	TECHNICAL DATA TYRES	69
CAMSO WHL 776R	35	TECHNICAL DATA TRACKS	75
NEW CAMSO EMT 538R	36	WARRANTY	82
CAMSO EMT 553R	36		

TOUGH IS OUR WAY OF LIFE

When it comes to construction tyres and tracks, we're about delivering the right product for the unique niche mobility needs of the off-the-road (OTR) market. Why? Because we believe that to ensure the lowest operating cost solution in a tyre, you must design it for a specific application to maximize its performance and durability. That's what we do.

How do we do this? We're out on the job site everyday interacting with users to understand their mobility issues and the extensive niches, surface types and applications in which they work. This is our focus.

We offer the widest range of products in the industry. Our tyres are recognized for their performance in terms of service life, puncture resistance, traction, as well as operator ride comfort. Our tracks offer superior protection against rolling path failure, carcass puncturing and flange cutting. They last at least 20% longer than standard tracks. At the end of the day, we ensure the reliability users expect from tyres and tracks to increase their uptime.

We try to do more than just engineer and deliver great tyres and tracks. We deliver complete sales solutions by providing the necessary tools, training and support documentation to educate our customers in the specifics of OTR products and the profitability they can bring to their business.

CONSTRUCTION TYRES



NEXT GENERATION PRODUCTS

Our next generation project, or as we say “Gen 2”, is a massive initiative to reinvent two thirds of our construction tyre lineup to bring the most durable and industrious solutions to market. Gen 2 tyres come with improved compounds to provide longer tread life and have been completely redesigned with key features that will provide the best performance and overall durability.

We built our Gen 2 lineup with these three beliefs in mind:

1 Tyres are not a one size fits all approach

We leveraged Camso expertise and market intimacy to better understand tyre needs applications requirements, equipment types and user realities.

2 New levels of tough will come from industrious design technology

We can achieve the best performing, most durable products for the toughest construction applications if we're industrious in our design process.

3 Our tyres must perform the best in their intended applications

As OTR specialists, we bring value to our customers by promising the best possible solution for every off-the-road mobility problem.
















PRODUCT NAMING SYSTEM | CONSTRUCTION TYRES

Formula: **BRAND NAME + PRIMARY MACHINE TYPES + PRODUCT DETAILS**

ex.: Camso SKS 793S

Brand name: **CAMSO**

PRIMARY MACHINE TYPES

Articulated dump truck 	ADT	Backhoe loader 	BHL	Compact wheel loader 	CWL	Earthmoving 	EMT	Self-loading Mixer 	MIX	Mine service tyre 	MST
Aerial work platform 	AWP	Compaction equipment 	CMP	Mini-Dumper 	DMP	Motor grader 	GRD	Multi purpose 	MPT	Skid steer loader 	SKS
Telehandler 	TLH	Wheel loader 	WHL	Wheel excavator 	WEX						

PRODUCT DETAILS

1st number: **POSITIONING**

Top	7
Core	5
Entry	3

2nd number: **SURFACE**

Soft surfaces	1
Mixed soft surfaces	3
Mixed hard surfaces	5
Hard surfaces	7
Severe surfaces (Solid)	8
Severe surfaces (SolidAir)	9





3rd number: **PATTERN**

Rib	0
R-1	1
Directional (R-4, L-2, E-2, G-2)	2
Non-directional (E-3, L-3, G-3)	3
L-4, E-4	4
L-5 lug	5
L-5 smooth	6
All-season	8

Letter: **PRODUCT TYPE**











Bias	-
Radial	R
Solid	S

Surface condition classification








NAMING REFERENCE GUIDE | CONSTRUCTION TYRES*

LEGACY TYRES REPLACED WITH NEXT GENERATION TYRES

LEGACY PATTERN	LEGACY NAME		NEW PATTERN	NEW NAME
	SOLIDEAL Xtra Wall	Replaced by		CAMSO SKS 532
	SOLIDEAL Hauler SKS	Replaced by		CAMSO SKS 732
	SOLIDEAL XD 44	Replaced by		CAMSO SKS 775
	SOLIDEAL SL G2	Replaced by		CAMSO TLH 732
	SOLIDEAL SL G3	Replaced by		CAMSO TLH 753

LEGACY TYRES WITH NEW NAME CHANGE ONLY

PATTERN	LEGACY	NEW
	SOLIDEAL Gripper	CAMSO SKS 332
	SOLIDEAL SKS R1	CAMSO SKS 511
	SOLIDEAL Safety Master	CAMSO SKS 782S
	SOLIDEAL Safety Master SM	CAMSO SKS 786S
	SOLIDEAL SolidAir SKS	CAMSO SKS 792S

PATTERN	LEGACY	NEW
	SOLIDEAL SolidAir SM	CAMSO SKS 796S
	SOLIDEAL MR F3	CAMSO BHL 530
	SOLIDEAL SLA R4	CAMSO BHL 532
	SOLIDEAL BHZ	CAMSO BHL 753
	SOLIDEAL SRGP L3/E3/G3	CAMSO WHL 753R

*Not all sizes and patterns are available in every region.

NAMING REFERENCE GUIDE | CONSTRUCTION TYRES*

NEW AND EXISTING TYRE SOLUTIONS

PATTERN	NEW	PATTERN	NEW	PATTERN	NEW	PATTERN	NEW
	CAMSO Hauler SKZ		CAMSO LM L2		CAMSO MPT 553R		CAMSO GRD 553R
	CAMSO SKS 753		CAMSO LM L3		CAMSO MPT 753		CAMSO WL
	CAMSO SKS 793S		CAMSO EMT 553R		CAMSO MPT 793S		CAMSO CMP 533
	CAMSO SL R4		CAMSO MPT 552		CAMSO 4L R1		CAMSO MST 776
	CAMSO WHL 775		CAMSO MPT 532R		CAMSO 4L I3		

PATTERN	LEGACY	NEW
	SOLIDEAL RM E3/G3	CAMSO WHL 773
	SOLIDEAL SRLD L5	CAMSO WHL 775R
	SOLIDEAL SRLS L5	CAMSO WHL 776R
	SOLIDEAL TH2	CAMSO TLH 532
	SOLIDEAL SolidAir TLH	CAMSO TLH 792S

PATTERN	LEGACY	NEW
	SOLIDEAL WEX	CAMSO WEX 552
	SOLIDEAL Bagger HT	CAMSO WEX 583S
	SOLIDEAL SM C1	CAMSO CMP 576

*Not all sizes and patterns are available in every region.





TYRES FOR SKID STEER LOADERS



CAMSO
SKS 732



CAMSO
SKS 532



CAMSO
SKS 332



CAMSO
SKS 753



CAMSO
SKS 775



CAMSO
HAULER SKZ



CAMSO
SKS 511



CAMSO
SKS 792S



CAMSO
SKS 782S



CAMSO
SKS 793S



CAMSO
SKS 796S



CAMSO
SKS 786S

MAY ALSO FIT ON





Best off-road traction and durability

Extra thick
Void Guard

Maximizes tread impact protection to reduce risk of punctures

Wraparound stepped
tread design

Maximizes tread cleanout for best off-road traction



Impact Guard with
enhanced rim protection

Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres

Massive directional
tread depth

Maximizes off-road traction and durability

The ultimate mixed soft surface skid steer tyre solution. Deepest traction tread with enhanced protective features to maximize durability in softer conditions.

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

10-16.5 NHS

12-16.5 NHS

14-17.5 NHS

See full size list on page 69

CAMSO SKS 532



Exceptional durability, traction and value

OUR MOST POPULAR TYRE

- 1 Enhanced tread depth with curved lug design**
Ensures great durability and improved traction
- 2 Impact Guard with enhanced rim protection**
Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres
- 3 Void Guard**
Enhances tread impact protection to reduce risk of punctures
- 4 Stepped tread design**
Enhances cleanout for improved off-road traction

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

27x8.50-15 NHS

10-16.5 NHS

12-16.5 NHS

See full size list on page 69

CAMSO SKS 332



Superior value and performance

- 1 Natural rubber compounds**
Provides good chunk and tear resistance
- 2 Directional lug design**
Provides good traction in general-duty applications
- 3 Wider lug width at shoulder**
Provides good stability and promotes even wearing

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

10-16.5 NHS

12-16.5 NHS

See full size list on page 69

CAMSO SKS 753




Most versatile all-season tyre for mixed surface applications



RENTAL FAVOURITE

- 1 Innovative non-directional tread pattern**
Provides greater durability and versatility for mixed surface applications
- 2 Optimized lug-to-void ratio tread design**
Provides excellent versatility and durability
- 3 Impact Guard with enhanced rim protection**
Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres
- 4 Open, stepped shoulder lugs**
Enhances cleanout and traction on softer surfaces

PERFORMANCE



POPULAR SIZES

27x8.50-15 NHS

10-16.5 NHS

12-16.5 NHS

See full size list on page 69

CAMSO SKS 775




Extreme-duty combination of durability and puncture resistance



- 1 Maximum tread depth with highest lug-to-void ratio**
Maximizes tyre life and tread impact resistance
- 2 Innovative open shoulder, stepped tread design**
Exceptional durability with enhanced traction
- 3 Enhanced next generation Rim Guard**
Maximizes rim flange protection against damage from impacts
- 4 Impact Guard sidewall design**
Provides maximum sidewall protection, reducing impact damage and flat tyres

PERFORMANCE



POPULAR SIZES

10-16.5 NHS

12-16.5 NHS

14-17.5 NHS

See full size list on page 69

CAMSO HAULER SKZ



Trusted and versatile solution for mixed hard surface applications



- 1 Deep non-directional tread**
Provides enhanced durability on mixed hard surface applications
- 2 High lug-to-void ratio tread**
Provides excellent traction and versatility
- 3 Traditional heavy sidewall design**
Provides good side impact protection for fewer flat tyres

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

31x15.50-15 NHS

33x15.50-16.5 NHS

See full size list on page 69

CAMSO SKS 511



Off-road traction at its best



- 1 Aggressive curved R-1 tread pattern**
Maximizes traction and improves ride quality
- 2 Stepped tread design with wide lug spacing**
Provides enhanced cleanout for improved traction
- 3 Heavy-duty reinforced sidewall**
Provides side impact protection for fewer flat tyres

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

29x12.50-15 NHS

31x15.50-15 NHS

33x15.50-16.5 NHS

See full size list on page 69

CAMSO SKS 792S



Flat-proof durability meets off-road traction

- 1 Stepped tread design**
Provides excellent tread cleanout for improved off-road traction
- 2 Reusable wheel**
Enables tyre only replacement and lowers overall cost of ownership
- 3 Optimized conical aperture design**
Improves ride quality and reduces aperture cracking

PERFORMANCE



POPULAR SIZES

- 31x10-20
- 33x12-20
- 36x14-20

See full size list on page 69

CAMSO SKS 782S



Flat-proof durability meets off-road traction

- 1 Stepped tread design**
Provides excellent tread cleanout for improved off-road traction
- 2 Reusable wheel**
Enables tyre only replacement and lowers overall cost of ownership
- 3 Quick Fit design**
Eliminates lock & side rings for quicker installation

PERFORMANCE



POPULAR SIZES

- 8.00-16
- 31x10-20
- 33x12-20

See full size list on page 69



Severe-duty, flat-proof solution with non-directional tread

Innovative non-directional tread pattern

Optimizes durability and versatility on mixed and hard surfaces

Increased wearable tread

Improves durability for longer service life



Elongated conical aperture design

Provides excellent ride quality and reduces cracking

Quick Fit design

Eliminates lock and side rings for quicker installation

Next-generation versatile solid tyre solution. Engineered to deliver excellent ride quality and best durability for mixed- and hard-surface skid steer applications.

PERFORMANCE

TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

27x8.50-16

31x10-20

33x12-20

See full size list on page 71

CAMSO SKS 796S



Smooth surface, flat-proof solid solution



- 1 Optimized conical aperture design**
Improves ride quality and reduces aperture cracking
- 2 Smooth, full-width footprint**
Provides outstanding tread life and excellent stability
- 3 Reusable wheel**
Enables tyre only replacement and lowers overall cost of ownership
- 4 Quick Fit design**
Eliminates lock & side rings for quicker installation

PERFORMANCE



POPULAR SIZES

- 31x10-20
- 33x12-20
- 36x14-20

See full size list on page 71

CAMSO SKS 786S



Smooth surface, flat-proof solid solution



- 1 Full solid construction**
Provides excellent durability and flat-free operation
- 2 Smooth, full-width footprint**
Provides excellent stability and tread life
- 3 Reusable wheel**
Provides lower cost per hour and quicker installation
- 4 Quick Fit design**
Eliminates lock & side rings for quicker installation

PERFORMANCE



POPULAR SIZES

- 31x10-20
- 33x12-20
- 36x14-20

See full size list on page 71



TYRES FOR TELEHANDLERS, COMPACT WHEEL LOADERS AND BACKHOE LOADERS



**CAMSO
MPT 732**



**CAMSO
TM R4**



**CAMSO
SL R4**



**CAMSO
MPT 532R**



**CAMSO
MPT 553R**



**CAMSO
MPT 753**



**CAMSO
4L I3**



**CAMSO
BHL 753**



**CAMSO
4L R1**



**CAMSO
TM R1**



**CAMSO
BHL 532**



**CAMSO
BHL 530**



**CAMSO
TLH 792S**



**CAMSO
MPT 793S**

NEW

**CAMSO
MPT 732**



Best off-road traction and durability

Massive directional tread lugs with extended centre blocks

Maximizes off-road traction and durability on mixed and hard surfaces

Wraparound stepped tread design

Maximizes tread cleanout for best off-road traction



Extra thick void guard

Maximizes tread impact protection to reduce risk of punctures

Heavy-duty sidewall with enhanced rim protection

Provides enhanced sidewall and rim flange protection, reducing impact damage and flat TYRES

The ultimate mixed soft surface backhoe tyre solution. Deepest traction tread with enhanced protective features to maximize durability in softer conditions.

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

320/80-18 IND

400/70-20 IND

440/80-24 IND

480/80-26 IND

440/80-28 IND

See full size list on page 70



CAMSO TM R4



Durable off-road performance

- 1 Stepped tread design**
Enhances tread cleanout for improved traction
- 2 Square flat tread profile with centre reinforcement bar**
Promotes even wear across tread surface with increased stability
- 3 Optimized lug-to-void ratio**
Enhances longevity and tread puncture resistance
- 4 Heavy-duty carcass**
Provides excellent stability and side impact resistance

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

18-19.5

405/70-20

400/80-24 IND

See full size list on page 70

CAMSO SL R4



Heavy-duty durability and traction

- 1 Heavy-duty carcass**
Improves stability and sidewall protection
- 2 Stepped tread design**
Provides enhanced cleanout for improved traction
- 3 Optimized lug-to-void ratio with deep tread**
Increases tread life and off-road traction

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

12.5/80-18 IMP

18.4-26 IND

16.9-28 IND

See full size list on page 70

CAMSO MPT 532R



Superior off-road traction and durability

- 1 Aggressive tread design with deep lugs**
Provides superior off-road traction
- 2 Wide and flat tread profile**
Enhances stability and even wear
- 3 Strong radial carcass**
Improves comfort, traction and durability

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

400/70R24 IND

400/80R24 IND

460/70R24 IND

See full size list on page 73

CAMSO MPT 553R



Optimized performance on mixed surfaces

- 1 Non-directional tread pattern**
Optimizes versatility and durability on mixed and hard surfaces
- 2 Large interlocked centre blocks**
Improves lateral stability and driving comfort
- 3 Wide flat tread profile**
Provides enhanced traction, stability and even wear
- 4 Strong radial carcass**
Maximizes tread impact resistance, comfort and durability

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

335/80R18

405/70R18

405/70R20

See full size list on page 73

CAMSO
MPT 753



The next generation in versatility and durability

Flat non-directional
tread pattern
with high lug-to-void

Enhances stability, ride quality
and durability

Extra thick Void Guard

Maximizes tread impact protection
to reduce risk of punctures



Impact Guard with
enhanced rim protection

Provides maximum sidewall and
rim flange protection, reducing
impact damage and flat tyres

Open, stepped
shoulder lugs

Enhances versatility,
tread cleanout and traction
on softer surfaces

Engineered to provide enhanced traction in a variety of surface applications without sacrificing ride quality. Excellent overall durability and puncture resistance ensure maximum service life.

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

340/80-20 IND

400/70-20 IND

400/70-24 IND

400/80-24 IND

460/70-24 IND

See full size list on page 70

CAMSO 4L I3



A smooth ride with enhanced traction



- 1 Directional tread pattern with centre block**
Reduces vibrations and enhances driving comfort
- 2 Open, stepped shoulder lugs**
Enhances cleanout and traction on softer surfaces
- 3 Open shoulder tread design**
Provides excellent traction in off-road conditions
- 4 Heavy-duty carcass**
Provides excellent stability and side impact resistance

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

12.5-18

12.5-20

405/70-20

See full size list on page 70

CAMSO BHL 753



Comfort and durability for roading and abrasive conditions



- 1 Non-directional deep tread**
Ensures even tread wear for greater durability
- 2 Optimized continuous-contact tread pattern**
Significantly reduces vibration for improved ride quality
- 3 High lug-to-void ratio tread**
Protects against tread impacts and punctures
- 4 Heavy-duty carcass construction**
Improves stability when roading

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

12.5/80-18 IMP

18.4-26 IND

16.9-28 IND

See full size list on page 69

CAMSD 4L R1



Off-road traction and stability at its best

- 1 Aggressive curved R1 tread pattern**
Maximizes traction and improves ride quality
- 2 Stepped tread design**
Provides enhanced cleanout for improved traction
- 3 Heavy-duty reinforced sidewall**
Provides good side impact protection for fewer flat tyres
- 4 Extra wide and flat tread profile**
Increased contact area enhances stability and traction

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

405/70-20

15.5/80-24 IMP

16.5/85-24 IMP

See full size list on page 69

CAMSD TM R1



Superior traction on soft surfaces

- 1 Aggressive R-1 pattern**
Maximizes traction
- 2 Wide lug spacing**
Promotes great self-cleaning
- 3 Reinforced sidewall design with rim guard**
Protects sidewalls and rim flanges against damage from impacts

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZE

12.5/80-18 IMP

See full size list on page 70

CAMSO BHL 532



Durability meets ride quality

- 1 Optimized continuous contact tread design**
Improves ride quality when roading
- 2 Stepped tread design**
Provides enhanced cleanout for improved traction
- 3 Heavy-duty carcass construction**
Improves stability and sidewall protection

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

12.5/80-18 IMP

16.9-24 IND

19.5L-24 IND

See full size list on page 70

CAMSO BHL 530



Performance and quality you can rely on

- 1 Engineered F-3 RIB tread design**
Provides smooth ride and effective steering
- 2 Robust, heavy-duty carcass**
Reduces tread crowning for even wearing and excellent stability
- 3 Enhanced tread depth**
Extends tread life

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

11L-15SL IMP

11L-16SL IMP

14.5/75-16.1SL

See full size list on page 69



Severe-duty solid tyre solution

Engineered
solid tyre solution

Provides flat-free operation
and ultimate durability

Massive directional
tread depth

Maximizes off-road traction
and durability



Patented triangular
aperture design

Optimizes stability, strength
and comfort

Stepped tread design

Enhances cleanout for improved
off-road traction

A severe-duty flat-free telehandler tyre. With optimized stability, durability and comfort, it delivers flat-free operation and traction in extreme applications.

PERFORMANCE

TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

13.00-24

14.00-24

See full size list on page 72



Severe-duty flat-free tyre solution

Purpose-built engineered solid tyre design

Provides flat-free operation and ultimate productivity in severe conditions

Massive non directional tread pattern

Improves durability and versatility



Triangular aperture sidewall design

Maximizes stability and ride quality

Stepped shoulder lugs

Enhances tread cleanout for better traction in softer surfaces

A severe-duty solid multi purpose tyre solution. With flat-free operation, the MPT 793S provide excellent stability, ride quality and unmatched durability.

PERFORMANCE

TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

385/70-20

375/85-24

See full size list on page 71





TYRES FOR MINI-DUMPERS AND SELF LOADING MIXERS



CAMSO
MPT 552



CAMSO
DMP 532

MAY ALSO FIT ON



CAMSO MPT 552



A smooth ride with enhanced traction

- 1 **Versatile directional tread pattern with center block**
Reduces vibrations and enhances driving comfort
- 2 **Self-cleaning stepped tread**
Maximizes cleanout for better off-road traction
- 3 **Open shoulder tread design**
Provides excellent traction in off-road conditions
- 4 **Improved heel engineering**
Reduces mounting and inflation time

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

10.0/75-15.3 IMP

11.5/80-15.3 IMP

12.0/75-18 IMP

See full size list on page 69

NEW CAMSO DMP 532



Roading comfort and off-road traction

- 1 **Wide lug spacing**
Promotes great self-cleaning
- 2 **Flat tread profile with centre reinforcement bar**
Promotes even wear across tread surface with increased stability
- 3 **Low aspect ratio sidewall**
Maximizes traction, flotation and stability
- 4 **Wide and aggressively curved tread**
Provides excellent off-road traction and stability

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZE

500/60-22.5 IMP

See full size list on page 72



TYRES FOR WHEEL LOADERS, MOTOR GRADERS AND ARTICULATED DUMP TRUCKS



**CAMSO
WHL 753R**



**CAMSO
WHL 775R**



**CAMSO
WHL 776R**



**CAMSO
EMT 538R**



**CAMSO
EMT 553R**



**CAMSO
LM L2**



**CAMSO
LM L3**



**CAMSO
WHL 773**



**CAMSO
WHL 775**



**CAMSO
GRD 732**



**CAMSO
TLH 732**



**CAMSO
TLH 753**



**CAMSO
TLH 532**



**CAMSO
GRD 533R**



**CAMSO
ADT 753R**



Radial performance, versatility and durability

Heavy-duty
Dual-star carcass

Enhances stability and versatility for wheel loader, earthmover and motor grader applications

Optimized offset
tread pattern

Reduces vibration for improved ride quality



Premium long-wearing
tread compound


Provides excellent durability and low operating cost per hour

Non-directional
stepped design

Enhances cleanout for improved traction

Delivers excellent performance, versatility and durability. With enhanced stability, ride quality and traction, it's the best choice for both one-star and two-star applications.

PERFORMANCE



POPULAR SIZES

17.5R25
20.5R25
23.5R25
26.5R25
29.5R25
See full size list on page 73

CAMSO WHL 775R



Mixed hard surface L-5 radial durability at its best

- 1 Extra-deep L-5 traction tread**
Provides reliable traction and enhanced protection against punctures in extreme mixed and hard surface applications
- 2 Heavy-duty two-star rated carcass**
Enhances durability and resistance to punctures for extreme mixed and hard surface applications
- 3 Contoured lug base**
Promotes stone ejection and reduces damage between lugs
- 4 Extra flat tread profile**
Reduces tread crowning for even wear across tread surface

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

17.5R25

20.5R25

23.5R25

See full size list on page 73

CAMSO WHL 776R



Hard surface L-5S radial durability at its best

- 1 Extra-deep L-5 smooth tread**
Best durability and resistance to flat tyres for extreme hard surface applications
- 2 Heavy-duty two-star rated carcass**
Enhances durability and resistance to punctures for extreme hard surface applications
- 3 Extra flat tread profile**
Reduces tread crowning for even wear across tread surface
- 4 Integral tread wear indicator**
Provides accurate indication of remaining service life

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

17.5R25

23.5R25

26.5R25

See full size list on page 73

NEW CAMSO EMT 538R



Optimized performance in winter conditions

- 1 Heavy-duty dual star rated carcass**
Enhances stability and versatility for loader, earthmover and grader applications
- 2 Open shoulder tread pattern design**
Enhances tread cleanout for improved traction in mud and snow
- 3 Reinforced sidewall rib**
Enhances protection against sidewall damage and punctures
- 4 Winter-resistant rubber compound with deep lug siping**
Provides many biting edges and grader applications

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

17.5R25

20.5R25

23.5R25

See full size list on page 73

CAMSO EMT 553R



Optimized on-road and off-road performance

- 1 Non-directional tread pattern**
Increases durability and versatility on mixed and hard surfaces
- 2 Interconnected multi-block tread pattern**
Improves stability, self-cleaning and grip on soft soils
- 3 Strong radial carcass**
Maximizes comfort, traction and durability
- 4 Low profile tyre size**
Maximizes footprint, stability and wearable rubber volume

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

600/65R25

650/65R25

750/65R25

See full size list on page 74

CAMSO LM L2



Off-road traction and durability

- 1 Heavy-duty carcass**
Increases side impact resistance and stability
- 2 Stepped tread design**
Enhances tread cleanout for improved traction
- 3 Deep and flat tread profile**
Reduces tread crowning for improved durability

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

15.5-25

17.5-25

20.5-25

See full size list on page 73

CAMSO LM L3



Multi-surface performance

- 1 Heavy-duty carcass**
Increases side impact resistance and stability
- 2 Non-directional tread pattern with optimized lug-to-void ratio**
Ensures even tread wearing for greater durability
- 3 Stepped tread design**
Enhances tread cleanout for improved traction
- 4 Deep and flat tread profile**
Reduces tread crowning for improved durability

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

17.5 - 25

20.5 - 25

23.5 - 25

See full size list on page 73

CAMSO WHL 773



Reliable performance in harsh applications

- 1 Heavy-duty carcass**
Increases stability and side impact protection
- 2 High lug-to-void ratio**
Provides excellent durability and tread impact protection
- 3 Extra wide rock lug tread design**
Provides traction and durability in mixed and hard surface applications

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

17.5-25

23.5-25

26.5-25

See full size list on page 73

CAMSO WHL 775



Extreme-duty L-5 solution combining durability and puncture resistance

- 1 Extra-deep L-5 lug tread**
Provides reliable traction and enhanced protection against punctures in extreme mixed and hard surface applications
- 2 Heavy-duty reinforced carcass**
Enhances durability and stability under load in extreme mixed and hard surface applications
- 3 Heavy-duty sidewall construction**
Protects against side impacts and damage in severe applications
- 4 Contoured lug base**
Promotes stone ejection and resistance to cracking

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

17.5-25

20.5-25

23.5-25

See full size list on page 73

Available in certain markets only. Please check with your sales representative.

NEW CAMSO GRD 732



Ultimate off-road traction and stability

- 1 Void guard impact protection**
Enhances tread impact resistance to reduce risk of punctures
- 2 Wraparound stepped tread design**
Maximizes tread cleanout for best off-road traction
- 3 Massive tread depth with curved tread lugs**
Ensures excellent traction on soft surfaces and long wearing durability when operating at higher speeds
- 4 Impact guard with enhanced rim protection**
Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

13.00-24

14.00-24

16.00-24

See full size list on page 72

CAMSO TLH 732



Best off-road traction, durability and stability

- 1 Massive tread depth with curved tread lugs**
Ensures great durability and improved traction when operating at higher speeds
- 2 Wraparound stepped tread design**
Maximizes tread cleanout for best off-road traction
- 3 Extra thick Void Guard**
Maximizes tread impact protection to reduce risk of punctures
- 4 Impact Guard with enhanced rim protection**
Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

13.00-24

14.00-24

See full size list on page 72

CAMSO TLH 753



Next generation durability and versatility

RENTAL FAVOURITE

- 1 Innovative non-directional tread pattern**
Provides greater durability and versatility for mixed surface applications
- 2 Open, stepped shoulder lugs**
Enhances cleanout and traction when on softer surfaces
- 3 Optimized lug-to-void ratio tread design**
Provides excellent traction, durability and stability when operating at higher speeds
- 4 Impact Guard with enhanced rim protection**
Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

13.00-24

14.00-24

370/75-28

See full size list on page 72

CAMSO TLH 532



Superior value and performance

- 1 Optimized lug-to-void ratio with deep tread**
Increases tread life and off-road traction
- 2 Heavy-duty carcass construction**
Improves stability and sidewall protection
- 3 Flat tread profile**
Resists tread crowning for even wearing

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

13.00-24

14.00-24

See full size list on page 72

CAMSO GRD 533R



Optimized traction and performance on multiple surfaces



- 1 **Non-directional tread pattern**
Optimizes durability and traction
- 2 **Wide flat tread profile**
Provides enhanced grip, stability and flotation
- 3 **Interconnected multi-block tread pattern**
Improves self-cleaning and traction on soft soils
- 4 **Strong radial carcass**
Maximizes comfort, traction and durability

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZE

14.00R24

See full size list on page 72

CAMSO ADT 753R



Premium off-road traction and stability



- 1 **Non-directional tread pattern with optimized lug-to-void ratio**
Increases traction and durability in off-road conditions
- 2 **Interconnected multi-block tread pattern**
Improves stability, self-cleaning and grip on soft soils
- 3 **Heavy-duty dual-star carcass**
Optimizes stability for articulated dump truck applications
- 4 **Premium heat resistant rubber compounds**
Reduces heat build-up, allowing long duty cycle

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

23.5R25

26.5R25

29.5R25

See full size list on page 73





TYRES FOR WHEEL EXCAVATORS AND MATERIAL HANDLERS



**CAMSO
WEX 752**



**CAMSO
WL**



**CAMSO
WEX 552**



**CAMSO
WEX 553**



**CAMSO
WEX 732**



**SOLIDEAL
HAULER LT**



**CAMSO
WEX 583S**



**SOLIDEAL
MAGNUM BAGGER**



NEW

**CAMSO
WEX 752**



Ultimate off-road performance and durability

Massive directional tread lugs with extended centre

Maximizes off-road traction and durability

Extra thick Void Guard

Maximizes tread impact protection to reduce risk of punctures

Wraparound Stepped Tread Design

Maximizes tread cleanout for best off-road traction



Integrated Stone Guard*

Eliminates the need for a spacer while protecting inner sidewalls against impacts

Heavy-duty sidewall

Provides enhanced sidewall protection, maximizes stability and operator comfort

*Only available on tyre size 290/90-20

Engineered for today's heavier machines to provide maximum performance and durability on mixed hard surfaces. Provides excellent traction and stability with superior impact protection.

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

8.25-20

9.00-20

10.00-20

290/90-20

See full size list on page 70

CAMSO WL



High performance, enhanced protection

- 1 Heavy-duty carcass construction**
Improves stability and sidewall protection
- 2 Optimized lug-to-void ratio with deep tread**
Increases tread life and off-road traction
- 3 Flat tread profile with centre reinforcement**
Promotes even wear across tread surface with increased stability
- 4 Extra deep directional lug design**
Provides enhanced traction in heavy-duty applications

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

9.00-20

10.00-20

11.00-20

See full size list on page 70

CAMSO WEX 552



Superior value and performance

- 1 Robust carcass**
Enhances stability and side impact resistance
- 2 Natural rubber compounds**
Provides good chunk and tear resistance
- 3 Deep directional lug design**
Provides good traction in general-duty applications

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

8.25-20

9.00-20

10.00-20

See full size list on page 70

NEW CAMSO WEX 553



Enhanced durability and sidewall protection



- 1 Non-directional tread pattern with high lug-to-void ratio**
Provides greater durability and versatility for mixed and hard surfaces
- 2 Full wraparound steps on centre lugs**
Maximizes tread cleanout for best off-road traction
- 3 Integrated Stone Guard**
Eliminates the need for a spacer while protecting inner sidewalls against impacts
- 4 Heavy-duty bias sidewall**
Provides enhanced sidewall protection, maximizes stability and operator comfort

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

315/70-22.5

315/80-22.5

See full size list on page 71

NEW CAMSO WEX 732



Ultimate off-road traction and flotation



- 1 Extra thick Void Guard**
Maximizes tread impact protection to reduce risk of punctures
- 2 Stepped tread design**
Provides enhanced cleanout for improved traction
- 3 Impact Guard with enhanced rim protection**
Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres
- 4 Low aspect ratio sidewall**
Maximizes traction and flotation

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

500/45-20 IND
(8.25-20 Dual)

See full size list on page 71

SOLIDEAL HAULER LT

BY CAMSO



Ready for your challenges

Wide square tread profile

Provides superior stability

Massive tread blocks and deep lugs

Extend service life in severe applications



Wide sidewall with rim guard

Provides best side impact resistance
Three times thicker than standard tyres

Reinforced undertread

Increases puncture resistance

With a heavy-duty carcass and high abrasion-resistant tread, it delivers both incredible puncture resistance and long life. With a reinforced sidewall for side impact protection, it's unstoppable.

PERFORMANCE TYRE LIFE



PUNCTURE RESISTANCE



STABILITY



AVAILABLE IN NON-MARKING COMPOUND



POPULAR SIZES

9.00-20

10.00-20

11.00-20

12.00-20

12.00-24



SOLIDEAL HAULER HA-TR

Its unique half-lug, half-smooth tread pattern provides excellent durability for road-to-rail applications

POPULAR SIZES

10.00-20

12.00-20



SOLIDEAL HAULER SM

Its smooth tread pattern increases tyre life, prevents lug tearing and increases steerability

POPULAR SIZES

10.00-20

12.00-20

CAMSO WEX 583S



Solid, high traction solution for severe conditions

- 1 Solid 2 layer construction**
Provides maximum stability and flat-free operation
- 2 Aggressive tread design**
Provides enhanced traction in off-road conditions
- 3 Natural rubber compounds with optimized lug-to-void ratio**
Enhances chunk resistance and stability

PERFORMANCE

TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

9.00-20

10.00-20

12.00-20

See full size list on page 70

SOLIDEAL MAGNUM BAGGER



Solid, hard surface solution for severe conditions

- 1 Wide and flat non-directional tread pattern**
Provides exceptional durability and grip on mixed and hard surfaces
- 2 Natural rubber compounds**
Provides good chunk and tear resistance
- 3 High lug-to-void ratio tread**
Provides maximum durability and stability
- 4 Provides maximum durability and stability**
Available in 2 or 3 layer construction. Provides maximum durability and flat-free operation
- 5 60J line**
Ensures maximum tyre utilization

PERFORMANCE

TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

10.00-20

12.00-20

12.00-24

See full size list on page 70



TYRES FOR SPECIALTY APPLICATIONS



**CAMSO
CMP 576**



**CAMSO
CMP 533**



**CAMSO
AWP 583S**



**CAMSO
MST 776**



**SOLIDEAL
HAULER LT**



**SOLIDEAL
RES 550
MAGNUM SERIES**


CAMSO CMP 576



Excellent compaction performance and durability

- 1 Smooth, flat tread profile**
Promotes even wear and reduced ground pressure for better compaction performance
- 2 Heat-resistant rubber compound**
Improves durability for lower cost per hour
- 3 Heavy-duty carcass**
Provides excellent stability and durability

PERFORMANCE



POPULAR SIZES

7.50-15 NHS

8.50/90-15K

11.00-20 NHS

See full size list on page 69


CAMSO CMP 533



Soil compaction performance and durability

- 1 Optimized R-3 tread pattern**
Minimizes ground pressure and damage for better compaction performance
- 2 Premium rubber compounding**
Resists weather-checking caused by UV and ozone damage
- 3 Stepped tread design**
Provides enhanced cleanout for improved traction

PERFORMANCE



POPULAR SIZE

23.1-26 IND

See full size list on page 74

NEW

**CAMSD
AWP 583S**



Built for safety and durability

Optimized tread design with siping

Enhances water evacuation
for better maneuverability

Engineered rubber compound with natural rubber

Optimizes tread life
on hard surfaces

Grey non-marking compound

Provides low ground disturbance
for indoor applications

Durable cast steel wheel

Provides ultimate
wheel durability



Purpose-built to maximize productivity for indoor scissor lift application, this non-marking cured-on tyre solution ensures long service life while ensuring safe lift operation.

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZES

323 x 100 (280)

12 x 4.5 (255)

15 x 5 (318)



Underground hard surface performance and durability

Massive L-5
smooth tread pattern

Provides excellent puncture
and impact resistance

Premium mining
rubber compounds

Enhances wearing
and cut resistance



Impact guard
sidewall design

Provides maximum sidewall
protection, reducing impact
damage and downtime

Enhanced next generation
Rim Guard

Maximizes rim flange protection
against damage from impacts

Engineered to maximize service life and to resist sidewall and tread impact
for maximized uptime in extreme underground mining application.

PERFORMANCE


TYRE LIFE



PUNCTURE RESISTANCE



TRACTION



POPULAR SIZE

12.00-24

See full size list on page 72



SOLIDEAL HAULER LT

Ready for your
challenges



SOLIDEAL RES 550
MAGNUM SERIES

Solid, hard surface
solution for
severe conditions

CONSTRUCTION TRACKS



THE CAMSO DIFFERENCE

At Camso we achieved an edge on our competition by differentiating ourselves in three specific ways:

1 Camso is a leading manufacturer of OEM brands

Camso is a proud supplier of the world's best known construction brands. We have achieved our OEM positions through close collaboration, co-development, and validation with leading equipment manufacturers. Working with the OEM's has pushed our products to new levels of toughness and represents a symbol of quality and performance end-users can trust.

Many Camso products are also offered through various OEM aftermarket programs.

2 Camso offers the best warranty on the market


Actions speak louder than words. This is why we improved our terms and back all of our tracks with an industry leading non-prorated warranty on material and workmanship.

TRACK SERIES	MACHINE TYPE	MONTHS OF SERVICE		HOURS LIMIT	
		OLD	NEW	OLD	NEW
CAMSO SD series	CTL	13	18	1100	1500
	MEX	24	30	2000	2500
CAMSO HXD series	CTL	18	24	1500	2000
	MEX	36	42	3000	3500
	PAD's	N/A	36	N/A	3000
	MTL	14	14	1200	1200
	OTT	12	12	No limit	No limit
	Steel OTT	N/A	24	N/A	No limit

3 Camso Construction tracks offer lowest operating cost solution


DURABILITY

Camso reduces the total cost of tracks over the machine lifetime with high quality compound.




RELIABILITY

Camso technology solves problems like detracking and cable breakage to increase uptime over the machine lifetime.



EXCEPTIONAL PERFORMANCE

Camso keeps you productive on the job-site with the right products for your application and surface type.



THE CAMSO DIFFERENCE

Camso tracks reduce the overall amount cost of ownership over your machines lifetime.



Extreme durability and resistance to severe conditions

Patented Triple S internal metal core

Prevents detracking and minimizes vibrations for better ride quality and lower maintenance cost

Curbshield technology with reinforced carcass edge

Maximizes service life related to edge cuts, preventing metal core corrosion

Enhanced high-tensile, rubber-sealed steel cables

Resists cable corrosion to extend service life

Premium rubber compound and extra thick carcass

Improves damage resistance and promotes even tread wear for the longest track life



The ultimate solution for most users, engineered to provide maximum protection against damage and catastrophic failure, increasing your uptime.

PERFORMANCE


TREAD LIFE



FAILURE RESISTANCE



TRACTION



Fitments available for all major manufacturers

See technical data on page 77



Delivers enhanced service life with performance and predictability



The best solution for heavy-duty applications. Designed to provide excellent protection against damage and failure for a long and predictable service life.

PERFORMANCE


TREAD LIFE



FAILURE RESISTANCE




TRACTION



Fitments available for all major manufacturers

See technical data on page 78

CAMSO HXD RUBBER PADS



1 Bi-Directional HXD tread pattern

Ultimate off-road traction and durability

3 Forged metal core with CutProtect bonding technology

Maximizes track pad life with cut resistant geometry that's been engineered for ultimate durability

2 Premium HXD rubber compound

Provides ultimate durability and resistance to catastrophic failures

4 Anti-Edge cut

Provides maximal protection against side cuts and tears

*Check with your dealer for best choice for your application





BEST CHOICE FOR ABRASIVE TERRAIN


The ultimate track for durability and performance

Single-cure technology with next generation rubber compound

Promotes even tread wear for the longest and most predictable tread life

Forged metal cores with Trackguard technology

Improves rolling path life for reduced failures and enhanced durability



Optimized H pattern tread profile

Provides excellent durability throughout tread life in heavy-duty applications

Enhanced endless high-tensile steel cables

Eliminates unexpected downtime due to cable and joint failures

Ultimate durability and remarkable traction to maximize your uptime on heavy-duty applications.

PERFORMANCE



BEST TRACK CHOICE FOR:



Fitments available for all major manufacturers
See technical data on page 76



Best choice for mud and snow

All-season traction and versatility

Single-cure technology with a proven rubber compound

Promotes even tread wear for a long predictable tread life

Versatile all-season traction tread pattern


Provides outstanding traction on various surface conditions year-round

Forged metal cores with Trackguard technology

Improves rolling path life for reduced failures and enhanced durability

Endless high-tensile steel cables

Eliminates unexpected downtime due to cable and joint failures



A versatile solution that provides ultimate traction and excellent performance on various surface conditions year-round.

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION



BEST TRACK CHOICE FOR:



Fitments available for all major manufacturers
See technical data on page 76




Enhanced durability and protection

Single-cure technology with superior internal casing structure

Designed to provide maximum drive lug bonding and utilisation life

Heavy duty carcass construction

Increases lateral stability to eliminate detracking for more uptime



Versatile tread pattern matched with advanced rubber compound

Maintains good traction throughout tread life

The multi-terrain loader solution for longer track life and better protection against drive lug failure. Increased durability combined with lateral stability minimizes operating costs by adding an extra season of service on the job site.

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE




TRACTION



Fitments available for all major manufacturers

See technical data on page 80

NEW CAMSO STEEL OTT



Exceptional off-road track performance

Fitments available for all major manufacturers

- 1 Case-hardened all-steel track construction**
Maximized durability and performance in severe applications
- 2 Customizable sizing with variable pitch design**
Facilitates easy product selection and installation
- 3 Engineered high-traction tread bar**
Enhanced all-around traction especially on open side slopes and unprecedented traction on ice
- 4 Wide-void design**
Enhances debris and rock cleanout providing optimum traction on soft surfaces

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION



BEST TRACK CHOICE FOR:



See specifications on page 81

CAMSO RUBBER OTT



Track performance almost anywhere

Fitments available for all major manufacturers

- 1 Full rubber track reinforced with steel core and cables**
Allows smoother operation on asphalt, concrete and turf surfaces without damage or marking
- 2 Wide continuous rubber track footprint**
Increases flotation by 5 times compared to tyres alone, and at least twice as much as standard steel tracks
- 3 Embedded forged metal core with engineered wing design**
Ensures strength and rigidity to avoid detracking
- 4 Internal traction rib**
Provides high traction between tyre and track and prevents tyre wear

PERFORMANCE

TREAD LIFE




FAILURE RESISTANCE



TRACTION



BEST TRACK CHOICE FOR:



See specifications on page 81




Top performance and uptime

Endless steel cable technology

Protects from joint failures to avoid unexpected downtime

Trackguard iron core

Improves rolling path life for reduced failures and enhanced durability



Straight bar tread pattern

Provides optimal traction

Next generation rubber compound

Promotes even tread wearing for long, predictable tread life

The ideal carrier track to perform in the most severe application and avoid unexpected downtime. It is built to provide best durability for a long and predictable track life.

PERFORMANCE



See technical data on page 81



CAMSO HXD CHEVRON Paver track

Durability
meets traction

TRACK COMPLETE LINE OVERVIEW

TRACKS FOR MINI-EXCAVATORS



CAMSO
MEX HXD



CAMSO
MEX SD

TRACKS FOR COMPACT TRACK LOADERS



CAMSO
CTL HXD



CAMSO
CTL SD

TRACK FOR MULTI-TERRAIN LOADERS



CAMSO
MTL HXD

OTT TRACKS FOR SKID STEER LOADERS



CAMSO
STEEL OTT



CAMSO
RUBBER OTT

TRACK FOR CARRIERS



CAMSO
CARRIER HXD

TRACK FOR PAVERS



CAMSO
HXD CHEVRON

TYRE COMPLETE LINE OVERVIEW

SKID STEER LOADERS



CAMSO
SKS 732



CAMSO
SKS 532



CAMSO
SKS 332



CAMSO
SKS 753



CAMSO
SKS 775



CAMSO
HAULER SKZ



CAMSO
SKS 511



CAMSO
SKS 792S



CAMSO
SKS 782S



CAMSO
SKS 793S



CAMSO
SKS 796S



CAMSO
SKS 786S

UNDERGROUND MINING EQUIPMENT



CAMSO
MST 776



SOLIDEAL
HAULER LT



SOLIDEAL RES 550
MAGNUM SERIES

TELESCOPIC HANDLERS, COMPACT WHEEL LOADERS AND BACKHOE LOADERS



CAMSO
MPT 732



CAMSO
TM R4



CAMSO
SL R4



CAMSO
MPT 532R



CAMSO
MPT 753



CAMSO
4L I3



CAMSO
MPT 553R



CAMSO
BHL 753



CAMSO
4L R1



CAMSO
TM R1



CAMSO
BHL 532



CAMSO
BHL 530



CAMSO
TLH 792S



CAMSO
MPT 793S

WHEEL LOADERS, ARTICULATED DUMP TRUCKS AND MOTOR GRADERS



CAMSO
WHL 753R



CAMSO
ADT 753R



CAMSO
EMT 553R



CAMSO
EMT 538R



CAMSO
WHL 775R



CAMSO
WHL 776R



CAMSO
GRD 533R

RADIAL



CAMSO
LM L2



CAMSO
LM L3



CAMSO
WHL 773



CAMSO
WHL 775



CAMSO
GRD 732



CAMSO
TLH 732



CAMSO
TLH 532



CAMSO
TLH 753

BIAS

WHEEL EXCAVATORS AND MATERIAL HANDLERS



CAMSO
WEX 752



CAMSO
WL



CAMSO
WEX 552



CAMSO
WEX 553



CAMSO
WEX 732



SOLIDEAL
HAULER LT



SOLIDEAL
HAULER SM



SOLIDEAL
HA-TR



CAMSO
WEX 583S



SOLIDEAL
MAGNUM BAGGER

MINI-DUMPERS AND SELF-LOADING MIXERS



CAMSO
MPT 552



CAMSO
DMP 532

COMPACTION EQUIPMENT



CAMSO
CMP 533



CAMSO
CMP 576

TECHNICAL DATA | TYRES

TECHNICAL DATA | TYRES

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
12	23x8.50-12 SS	6 PR	Camso Hauler SKS	-	8.161.8000
		6 PR	Camso SKS 532	13	8.1210.9650
		12 PR	Camso Hauler SKS	-	8.165.8002
		12 PR	Camso SKS 532	13	8.1211.9654
	26x12.00-12 SS	8 PR	Camso SKS 511	15	8.338.4267
		10 PR	Camso SKS 532	13	8.1212.9658
	27x10-12	14 PR	Camso Xtra Wall	-	1.1237.10771 (50.4407.4364)
		(8.00)	Camso SKS 792S	16	9.1616.18226 (Left) / 9.1617.18228 (Right)
15	5.70-12 NHS	4 PR	Camso SKS 532	13	8.1207.9638
	11L-15SL IMP	12 PR	Camso BHL 530	27	2.95.525
	27x8.50-15 NHS	6 PR	Camso Hauler SKS	-	8.170.8004
		8 PR	Camso Hauler SKS	-	8.534.5262
		8 PR	Camso SKS 532	13	8.1208.9642
		8 PR	Camso SKS 753	14	8.1181.9536
	27x10.50-15 NHS	8 PR	Camso Hauler SKS	-	8.208.7917
	29x12.50-15 NHS	8 PR	Camso SKS 511	15	8.389.3735
	31x15.50-15 NHS	8 PR	Camso Hauler SKZ	15	8.575.5450
		8 PR	Camso SKS 511	15	8.339.4255
		8 PR	Camso SKS 532	13	8.1209.9646
	7.00-15 SS	6 PR	Camso Xtra Wall	-	8.663.8040
	7.50-15 NHS	14 PR	Camso CMP 576	50	3.124.618
	8.50/90-15K	6 PR	Camso CMP 576	50	3.125.627
15.3	10.0/75-15.3 IMP	12 PR	Camso 4L R1	26	5.1188.9570
		12 PR	Camso MPT 552	32	5.1159.11055
		18 PR	Camso MPT 552	32	5.1160.11057
	11.5/80-15.3 IMP	8 PR	Camso 4L R1	26	5.417.7920
		14 PR	Camso 4L R1	26	5.1189.9574
		14 PR	Camso MPT 552	32	5.1161.9624
16	11L-16SL IMP	12 PR	Camso BHL 530	27	2.97.543
	7.50-16	(5.50)	Camso SKS 782S	16	9.544.8573 (Left) / 9.543.8570 (Right)
	8.00-16	(5.50)	Camso SKS 782S	16	9.98.4669 (Normal heel)
	8.00-16	(6.00)	Camso SKS 782S	16	9.101.4671 (Normal heel)
	9.00-16	16 PR	Camso BHL 573	-	2.1191.9580
16.1	14L-16.1SL IMP	14 PR	Camso BHL 530	27	2.1190.9578
16.5	10-16.5 NHS	8 PR	Camso SKS 332	13	8.652.8038
		10 PR	Camso Hauler SKZ	15	8.177.8010
		10 PR	Camso SKS 532	13	8.1004.8699
		10 PR	Camso SKS 732	12	8.954.8431
		10 PR	Camso SKS 753	14	8.1024.8833
		10 PR	Camso SKS 775	14	8.957.8437
	12-16.5 NHS	10 PR	Camso SKS 332	13	8.654.6768
		12 PR	Camso BHL 753	25	2.910.8058
		12 PR	Camso Hauler SKZ	15	8.189.1035
		12 PR	Camso SKS 532	13	8.1006.8709
		12 PR	Camso SKS 732	12	8.939.8433
		12 PR	Camso SKS 753	14	8.1025.8839
		12 PR	Camso SKS 775	14	8.937.8439
		14 PR	Camso SKS 532	13	8.1239.10777
	26x12-16.5	10 PR	Camso SKS 511	15	8.361.3387
		10 PR	Camso Xtra Wall	-	8.453.7929
	31.5x13.00-16.5 NHS	10 PR	Camso Hauler SKS	-	8.209.7928
	33x15.50-16.5 NHS	14 PR	Camso Hauler SKS	-	8.274.2811
		14 PR	Camso Hauler SKZ	15	8.326.3832

TECHNICAL DATA | TYRES

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
17.5	14-17.5 NHS	14 PR	Camso SKS 532	13	8.1026.8845
		14 PR	Camso SKS 732	12	8.956.8435
		14 PR	Camso SKS 753	14	8.1027.8849
		14 PR	Camso SKS 775	14	8.1263.10870
18	10.5-18	10 PR	Camso 4L I3	25	14.234.7956
	10.5/80-18 IMP	10 PR	Camso SL R4	22	2.98.7990
	12.0/75-18 IMP	12 PR	Camso MPT 552	32	2.1076.9043
	12.5-18	10 PR	Camso SL R4	22	14.448.8054
		12 PR	Camso 4L I3	25	14.230.7954
		12 PR	Camso SL R4	22	14.503.4487
		16 PR	Camso 4L I3	25	14.1056.8961
	12.5/80-18 IMP	12 PR	Camso BHL 532	27	2.1240.10783
		12 PR	Camso BHL 753	25	2.911.8060
		12 PR	Camso SL R4	22	2.100.7980
		12 PR	Camso TM R1	26	2.1248.10824
		16 PR	Camso SL R4	22	2.1132.9317
		12 PR	Camso SL R4	22	2.1132.9317
	280/80-18 IND	132 A8	Camso MPT 732	21	14.1215.9681
	320/80-18 IND	139 A8	Camso MPT 732	21	14.1221.9705
	335/80R18	-	Camso MPT 553R	23	13.1223.9717
	340/80-18 IND	143 A8	Camso MPT 732	21	14.1216.9685
		143 A8	Camso MPT 753	24	14.1016.8779
	400/70-18 IND	147 A8	Camso MPT 753	24	14.1273.10919
	405/70R18	-	Camso MPT 553R	23	13.1224.9719
19.5	15-19.5 NHS	14 PR	Camso Hauler SKS	-	8.206.994
	18-19.5	16 PR	Camso 4L R1	26	14.1199.9610
		16 PR	Camso TM R4	22	14.1198.9606
		20 PR	Camso TM R4	22	14.1267.10897
	445/70-19.5	20 PR	Camso MPT 753	24	14.1274.10923
20	10.00-20	16 PR	Camso WEX 552	45	4.874.8072 (50.4060.4021)
		16 PR	Camso WEX 752	44	4.1260.10858 (50.4426.4383)
		16 PR	Camso WL	45	4.134.8052 (50.4053.4014)
		16 PR	Solideal AIR 550	-	(50.4342.4304)
		16 PR	Solideal Hauler SM	47	(50.2934.2909)
		16 PR	Solideal Hauler HA-TR	47	(50.2609.2573)
		(7.00)	Camso WEX 583S	48	9.1552.17798
		(7.00)	Solideal Magnum Bagger	48	9.117.10147
		(7.00)	Solideal RES 550 Magnum	52	9.117.15497
		(7.50)	Camso WEX 583S	48	9.1553.17800
		(7.50)	Solideal Magnum Bagger	48	9.121.13193
		(7.50)	Solideal RES 550 Magnum	52	9.121.15499
		(8.00)	Camso WEX 583S	48	9.1554.17802
		(8.00)	Solideal RES 550 Magnum	52	9.126.15501
	10.5-20	10 PR	Camso 4L I3	-	14.235.2499
	11.00-20	16 PR	Solideal AIR 550	-	(50.4378.4339)
		16 PR	Solideal Hauler LT	47	(50.1944.1908)
		16 PR	Camso WL	45	(50.4051.4012)
		(7.50)	Solideal Magnum Bagger	48	9.555.13574
		(7.50)	Solideal RES 550 Magnum	52	9.788.15659
		(8.00)	Solideal Magnum Bagger	48	9.788.12153
		(8.00)	Solideal RES 550 Magnum	52	9.555.15573
	11.00-20 NHS	16 PR	Camso CMP 576	50	(50.2654.2629)
		18 PR	Camso CMP 576	50	(50.3500.3479)
	12.00-20	20 PR	Solideal AIR 550	-	(50.4346.4308)
		20 PR	Solideal Hauler SM	47	(50.438.433)

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
20		20 PR	Solideal Hauler HA-TR	47	(50.2611.2575)
		20 PR	Solideal Hauler LT	47	(50.427.422)
		(8.00)	Camso WEX 583S	48	9.1555.17804
		(8.00)	Solideal RES 550 Magnum	52	9.131.15503
		(8.50)	Camso WEX 583S	48	9.1556.17806
		(8.50)	Solideal Magnum Bagger	48	9.135.10149
		(8.50)	Solideal RES 550 Magnum	52	9.135.15505
	12.5-20	12 PR	Camso 4L I3	25	14.236.7958
	14.5-20	14 PR	Camso 4L I3	25	14.239.7960
	290/90-20	18 PR	Camso WEX 752	44	4.1245.10803 (50.4449.4406)
	31x10-20	(7.50)	Camso SKS 782S	16	9.550.8595 (Left) / 9.549.8591 (Right)
		(7.50)	Camso SKS 786S	18	9.470.8400
		(7.50)	Camso SKS 792S	16	9.794.12197 (Left) / 9.793.12195 (Right)
		(7.50)	Camso SKS 793S	29	9.1297.14967
		(7.50)	Camso SKS 796S	18	9.795.12189
	335/80R20	-	Camso MPT 553R	23	14.1122.9297
	33x12-20	(7.50)	Camso SKS 782S	16	9.552.8603 (Left) / 9.551.8599 (Right)
		(7.50)	Camso SKS 786S	18	9.475.8411
		(7.50)	Camso SKS 792S	16	9.809.12624 (Left) / 9.796.12199 (Right)
		(7.50)	Camso SKS 793S	17	9.1296.14965
		(7.50)	Camso SKS 796S	18	9.798.12191
	340/80-20 IND	144 A8	Camso MPT 753	24	14.1017.8783
	365/80R20	-	Camso MPT 553R	23	13.1226.9723
	36x14-20	(7.50)	Camso SKS 792S	16	9.800.12205 (Left) / 9.799.12203 (Right)
		(7.50)	Camso SKS 793S	17	9.1298.14969
	385/70-20	(10.00)	Camso MPT 793S	17	9.1510.16377
	400/70-20 IND	149 A8	Camso MPT 732	21	14.1217.9689
		155 A8	Camso MPT 753	24	14.1018.8787
		158 A8	Camso 4L R1	26	14.1238.10773
	405/70-20	12 PR	Camso 4L I3	25	14.251.2608
		14 PR	Camso 4L I3	25	14.252.7962
		14 PR	Camso 4L R1	26	14.391.3741
		14 PR	Camso TM R4	22	14.636.7978
		16 PR	Camso 4L I3	25	14.578.5506
		16 PR	Camso 4L R1	26	14.983.8584
		16 PR	Camso TM R4	22	14.948.8399
		-	Camso MPT 553R	23	14.1121.9295
	500/45-20 IND	158 A8	Camso WEX 732	46	4.1157.9373
	8.25-20	14 PR	Camso WEX 552	45	4.1028.8859 (50.4291.4253)
		14 PR	Camso WEX 752	44	4.1261.10862 (50.4427.4384)
		14 PR	Camso WL	45	50.4052.4013
		16 PR	Solideal Hauler LT	47	(50.273.269)
		(7.00)	Camso WEX 583S	48	9.111.9849
	9.00-20	14 PR	Solideal AIR 550	-	(50.4341.4303)
		14 PR	Camso WEX 552	45	(50.4038.3996)
		14 PR	Camso WEX 752	44	4.1262.10866 (50.4425.4382)
		14 PR	Camso WL	45	(50.4054.4015)
		(7.00)	Camso WEX 583S	48	9.1551.17796
		(7.00)	Solideal RES 550 Magnum	52	9.1293.15619
22.5	18-22.5	16 PR	Camso 4L R1	26	14.365.9598
		16 PR	Camso TM R4	22	14.1197.9602
		20 PR	Camso TM R4	22	14.1266.10893
	315/70-22.5	-	Camso WEX 553	46	4.1246.10807
	315/80-22.5	-	Camso WEX 553	46	4.1247.10811

TECHNICAL DATA | TYRES

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
22.5	315/80-22.5	-	Camso WEX 553	46	4.1247.10811
	385/65-22.5 NHS	16 PR	Camso Hauler SKS	-	8.232.8044
	445/70-22.5	20 PR	Camso MPT 753	24	14.1275.10927
	500/60-22.5 IMP	16 PR	Camso DMP 532	32	5.1228.9727
24	12.00-24	24 PR	Camso MST 776	52	13.1013.8745
		(8.50)	Camso WEX 583S	48	9.1557.17808
	13.00-24	12 PR	Camso GRD 732	40	6.1290.10985
		12 PR	Camso TLH 732	40	6.986.8617
		12 PR	Camso TLH 753	41	6.985.8613
		16 PR	Camso GRD 732	40	6.1292.10989
		16 PR	Camso TLH 732	40	6.989.8625
		16 PR	Camso TLH 753	41	6.988.8621
		(8.50V)	Camso TLH 792S	28	9.1088.13697 (Left) / 9.1089.13699 (Right)
	13.00-24 TG	12 PR	Camso TLH 532	41	6.891.7888
	14.00-24	12 PR	Camso GRD 732	40	6.1290.10985
		12 PR	Camso TLH 732	40	6.991.8633
		12 PR	Camso TLH 753	41	6.990.8629
		16 PR	Camso GRD 732	40	6.1296.10997
		16 PR	Camso TLH 732	40	6.994.8641
		16 PR	Camso TLH 753	41	6.993.8637
		28 PR	Solideal Hauler LT	47	(50.3972.4200)
		(8.50V)	Camso TLH 792S	28	9.1144.14049 (Left) / 9.1145.14051 (Right)
		(10.00)	Camso WEX 583S	48	9.1558.17810
		(10.00)	Solideal RES 550 Magnum	52	9.141.15507
	14.00-24 TG	12 PR	Camso TLH 532	41	6.894.7902
	14.00R24	*	Camso GRD 533R	42	6.1120.9293
	14.9-24 IND	12 PR	Camso BHL 532	27	2.621.6135
		12 PR	Camso SL R4	22	2.260.2710
	15.5/80-24 IMP	14 PR	Camso 4L R1	26	14.393.7966
		16 PR	Camso 4L R1	26	14.507.4517
	16.00-24	16 PR	Camso GRD 732	40	6.1127.9307
	16.5/85-24 IMP	14 PR	Camso 4L R1	26	14.506.7968
	16.9-24 IND	12 PR	Camso BHL 532	27	2.622.6136
		12 PR	Camso SL R4	22	2.107.7982
	17.5L-24 IND	10 PR	Camso BHL 532	27	2.620.6134
		10 PR	Camso SL R4	22	2.103.570
		12 PR	Camso SL R4	22	2.456.4293
	19.5L-24 IND	12 PR	Camso BHL 532	27	2.725.7217
		12 PR	Camso BHL 753	25	2.914.8066
		12 PR	Camso SL R4	22	2.109.583
	21L-24 IND	12 PR	Camso BHL 532	27	2.624.6138
		12 PR	Camso BHL 732	-	2.1244.10799
		12 PR	Camso SL R4	22	2.112.590
		16 PR	Camso SL R4	22	2.484.10781
	375/85-24	(10.00)	Camso MPT 793S	29	9.1525.16618
	400/70-24 IND	158 A8	Camso MPT 753	24	14.1019.8791
	400/70R24 IND	152 A8	Camso MPT 532R	23	14.1155.9367
	400/80-24 IND	162 A8	Camso MPT 753	24	14.1020.8795
		162 A8	Camso TM R4	22	14.897.8157
	400/80R24 IND	156 A8	Camso MPT 532R	23	14.1156.9369
	405/70-24	14 PR	Camso 4L I3	25	14.253.7964
		14 PR	Camso 4L R1	26	14.392.3743
		16 PR	Camso 4L I3	25	14.980.8574

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
24	405/70-24	14 PR	Camso 4L I3	25	14.253.7964
		14 PR	Camso 4L R1	26	14.392.3743
		16 PR	Camso 4L I3	25	14.980.8574
	440/80-24 IND	154 A8	Camso MPT 732	21	14.1232.10749
		154 A8	Camso MPT 753	24	4.1305.11029
		168 A8	Camso MPT 753	24	14.1272.10915
		168 A8	Camso TM R4	22	14.945.8373
	440/80R24 IND	161 A8	Camso MPT 532R	23	14.1129.9311
	460/70-24 IND	159 A8	Camso 4L R1	26	2.1200.9614
		159 A8	Camso MPT 753	24	14.1015.8775
		159 A8	Camso TM R4	22	14.1002.8689
	460/70R24 IND	159 A8	Camso MPT 532R	23	14.1125.9303
	500/70-24 IND	157 A8	Camso MPT 732	21	14.1218.9693
		164 A8	Camso MPT 753	24	14.1269.10903
	500/70R24 IND	164 A8	Camso MPT 532R	23	14.1126.9305
25	14.00-25	12 PR	Camso MPT 773	-	14.1192.9584
		20 PR	Camso MPT 773	-	14.1193.9588
	15.5-25	12 PR	Camso LM L2	38	13.421.8057
		12 PR	Camso LM L3	38	13.420.8056
		16 PR	Camso LM L2	38	13.521.4944
		16 PR	Camso LM L3	38	13.551.7952
	15.5R25	**	Camso MPT 553R	23	13.1225.9721
	16.00-25	32 PR	Solideal Hauler LT	47	1.644.8339
		(11.25)	Solideal Magnum Bagger	48	9.422.16708
		(11.25)	Solideal RES 550 Magnum	52	9.422.15567
	17.5-25	12 PR	Camso LM L2	38	13.423.3849
		12 PR	Camso LM L3	38	13.422.4657
		16 PR	Camso LM L2	38	13.490.4315
		16 PR	Camso LM L3	38	13.489.4665
		16 PR	Camso WHL 773	39	13.971.8541
		16 PR	Camso WHL 775	39	13.961.8461
		20 PR	Camso LM L3	38	13.541.5228
		24 PR	Camso LM L2	38	13.1014.8765
		24 PR	Camso LM L3	38	13.1264.10874
	17.5R25	*/**	Camso EMT 538R	37	13.1194.9592
		**	Camso WHL 753R	35	13.680.7090
		**	Camso WHL 776R	36	13.879.7860
	20.5-25	16 PR	Camso LM L2	38	13.425.7950
		16 PR	Camso LM L3	38	13.424.4874
		20 PR	Camso LM L3	38	13.491.4904
		20 PR	Camso WHL 773	39	13.972.8545
		20 PR	Camso WHL 775	39	13.962.8465
	20.5R25	**	Camso ADT 753R	42	13.880.7862
		**	Camso WHL 753R	35	13.681.7092
		**	Camso WHL 775R	36	13.881.7864
		*/**	Camso EMT 538R	37	13.1195.9594
	23.5-25	20 PR	Camso LM L3	38	13.427.4913
		20 PR	Camso WHL 773	39	13.973.8549
		20 PR	Camso WHL 775	39	13.963.8469
		24 PR	Camso LM L3	38	13.493.4902
		24 PR	Camso WHL 773	39	13.974.8553
	23.5R25	**	Camso ADT 753R	42	13.733.7248
		**	Camso WHL 753R	35	13.682.7094
		**	Camso WHL 775R	36	13.882.7866

TECHNICAL DATA | TYRES

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
25	23.5R25	**	Camso WHL 776R	36	13.883.7868
		*/**	Camso EMT 538R	37	13.1196.9596
	26.5-25	20 PR	Camso LM L3	38	13.428.4914
		28 PR	Camso LM L3	38	13.495.4920
		28 PR	Camso WHL 773	39	13.975.8557
		28 PR	Camso WHL 775	39	13.964.8473
		28 PR	Camso WHL 775	39	13.964.8473
	26.5R25	**	Camso ADT 753R	42	13.884.7870
		**	Camso WHL 775R	36	13.885.7872
		**	Camso WHL 776R	36	13.886.7874
		**	Camso WHL 753R	35	13.684.7098
	29.5-25	28 PR	Camso LM L3	38	13.666.6942
	29.5R25	**	Camso ADT 753R	42	13.734.7250
		**	Camso WHL 775R	36	13.887.7876
		**	Camso WHL 753R	25	13.686.7102
	600/65R25	*	Camso EMT 553R	37	13.1151.9357
	650/65R25	*/**	Camso EMT 553R	37	13.1152.9359
	750/65R25	**	Camso EMT 553R	37	13.1154.9363
26	18.4-26 IND	12 PR	Camso 4L R1	26	2.337.3276
		12 PR	Camso BHL 532	27	2.625.6139
		12 PR	Camso BHL 753	25	2.913.8064
		12 PR	Camso SL R4	22	2.113.592
	23.1-26 IND	12 PR	Camso CMP 533	50	3.949.8451
	480/80-26 IND	160 A8	Camso MPT 732	21	14.1219.9697
	480/80R26 IND	160 A8	Camso MPT 532R	23	14.1130.9313
28	16.9-28 IND	12 PR	Camso BHL 532	27	2.626.6140
		12 PR	Camso BHL 753	25	2.912.8062
		12 PR	Camso SL R4	22	2.116.7984
	18.4-28 IND	12 PR	Camso SL R4	22	2.118.602
	385/45-28	18 PR	Camso Hauler SKS	-	8.670.7004
	440/80-28 IND	156 A8	Camso MPT 732	21	14.1220.9701
		156 A8	Camso MPT 753	24	14.1271.10911
	440/80R28 IND	156 A8	Camso MPT 532R	23	14.1131.9315
30	420/80-30 IND	155 A8	Camso SL R4	22	2.614.6038

All resilient tyres have a Quick heel design, unless indicated otherwise.

Some tyres are also available in Non-Marking tread compound and as assemblies. Contact your sale representative for availability.

Check rim for size, especially on width, as this should correspond to tyrebase marking.

Check also max. load of rim with rim manufacturer, as wheel load will be restricted by lowest load capacity, either the one given by the rim or by the tyre.

TECHNICAL DATA | TRACKS

TECHNICAL DATA | TRACKS

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
180	72	39	Camso CTL HXD	HH	B	R	Standard	60
250	72	39	Camso CTL HXD	HH	B	R	Standard	60
		52		HH	B	D		
300	84	46	Camso CTL HXD	HH	B	E	Standard	60
320	86	45	Camso CTL HXD	HH	B	E	Standard	60
		49		HH	B	E	Standard	
		52		HH	B	E	Standard	
		53		HH	B	E	Standard	
		54		HH	B	E	Standard	
		52		HH	J	W	Rail Type	
		45	Camso CTL SD	B	B	E	Standard	61
		48		B	B	E	Standard	
		49		B	B	E	Standard	
		49		B	B	E	Standard	
		50		B	B	E	Standard	
		50		B	B	E	Standard	
		52		B	B	E	Standard	
		53		B	B	E	Standard	
		56		B	B	E	Standard	
		46		B	J	W	Rail Type	
		52		B	J	W	Rail Type	
400	86	49	Camso CTL HXD	HH	B	E	Standard	60
		50		HH	B	E	Standard	
		52		HH	B	E	Standard	
		55		HH	B	E	Standard	
		56		HH	B	E	Standard	
		60		HH	B	E	Standard	
		49	Camso CTL SD	B	B	E	Standard	61
		49		B	B	E	Standard	
		50		B	B	E	Standard	
		50		B	B	E	Standard	
		52		B	B	E	Standard	
		52		B	B	E	Standard	
		52		B	B	E	Standard	
		53		B	B	E	Standard	
		53		B	B	E	Standard	
		54		B	B	E	Standard	
		54		B	B	E	Standard	
		55		B	B	E	Standard	
		55		B	B	E	Standard	
		56		B	B	E	Standard	
		56		B	B	E	Standard	
450	86	42	Camso CTL HXD	HH	B	E	Standard	60
		52		HH	B	E	Standard	
		55		HH	B	E	Standard	
		56		HH	B	E	Standard	
		56		HH	B	E	Standard	
		58		HA	B	E	Standard	
		59		HH	B	E	Standard	
		60		HH	B	E	Standard	
		63		HH	B	E	Standard	
		52	Camso CTL SD	B	B	E	Standard	61
		52		B	B	E	Standard	
		55		B	B	E	Standard	
		55		B	B	E	Standard	
		56		B	B	E	Standard	
		56		B	B	E	Standard	
		58		B	B	E	Standard	
		58		B	B	E	Standard	
		59		B	B	E	Standard	
		60		B	B	E	Standard	
		60		B	B	E	Standard	
		63		B	B	E	Standard	

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
450	100	48	Camso CTL HXD	HH	J	E	Rail Type	60
		50		HH	J	E	Rail Type	
		48	Camso CTL SD	B	J	E	Rail Type	61
		50		B	J	E	Rail Type	

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
180	72	32	Camso UTL HXD	TF	J	R	Rail Type	-
		32		ST	J	R	Rail Type	-
		39		ST	J	R	Rail Type	-
		40		ST	J	R	Rail Type	-
		41		ST	J	R	Rail Type	-
		42		ST	J	R	Rail Type	-
		44		ST	J	R	Rail Type	-
		45		ST	J	R	Rail Type	-
230	72	32	Camso UTL HXD	TF	J	R	Rail Type	-
		32		ST	J	R	Rail Type	-
		39		ST	J	R	Rail Type	-
		41		ST	J	R	Rail Type	-
		42		ST	J	R	Rail Type	-
		44		ST	J	R	Rail Type	-
		45		ST	J	R	Rail Type	-

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
130	72	29	Camso MEX SD	A	A	RB	Standard	57
180	60	28	Camso MEX SD	S	A	F	Standard	57
		30		S	A	F	Standard	
		34		S	A	F	Standard	
		35		S	A	F	Standard	
		37		S	A	F	Standard	
		38		S	A	F	Standard	
	72	31		X	A	R	Standard	
		32		X	A	R	Standard	
		34		X	A	R	Standard	
		35		X	A	R	Standard	
		35		P	B	R	Rail Type	
		36		X	A	R	Standard	
		36		P	B	R	Rail Type	
		37		X	A	R	Standard	
		37		P	B	R	Rail Type	
		38		X	A	R	Standard	
		38		P	B	R	Rail Type	
		39		X	A	P	Standard	
		39		X	A	R	Standard	
		39		P	B	R	Rail Type	
		40		X	A	R	Standard	
		40		P	B	R	Rail Type	
		41		P	B	R	Rail Type	
		42		X	A	R	Standard	
200	72	36		X	A	R	Standard	57
		37		A	A	P	Standard	
		39		A	A	P	Standard	
		39		X	A	R	Standard	
		40		A	A	P	Standard	
		41		A	A	P	Standard	

TECHNICAL DATA | TRACKS

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
200	72	42	Camso MEX SD	A	A	P	Standard	57
		42		X	A	R	Standard	
		43		V4	J	P	Rail Type	
		45		V4	J	P	Rail Type	
		47		V4	J	P	Rail Type	
230	48	60		V1	I	KA	3S	57
		62		V1	I	KA	3S	
		64		V1	I	KA	3S	
		66		V1	I	KA	3S	
		68		V1	I	KA	3S	
		70		V1	I	KA	3S	
		70		V5	J	KA	3S / Rail Type	
		70		ZZ	J	K	Rail Type	
		72		V1	I	KA	3S	
		74		V1	I	KA	3S	
	72	37	Camso MEX SD	A	A	P	Standard	57
		39		A	A	P	Standard	
		40		A	A	P	Standard	
		41		A	A	P	Standard	
		42		A	A	P	Standard	
		42		B	A	P	Standard	
		43		A	A	P	Standard	
		45		A	A	P	Standard	
		46		V4	J	P	Rail Type	
		47		A	A	P	Standard	
		47		V4	J	P	Rail Type	
		48		A	A	P	Standard	
		50		A	A	P	Standard	
		52		A	A	P	Standard	
		54		A	A	P	Standard	
		56		A	A	P	Standard	
		56		B	A	P	Standard	
	48	60	Camso MEX HXD	AH	I	KA	3S	56
		62		AH	I	KA	3S	
		64		AH	I	KA	3S	
		66		AH	I	KA	3S	
		68		AH	I	KA	3S	
		70		AH	I	KA	3S	
250	47	84	Camso MEX SD	V5	J	KA	3S / Rail Type	57
		72		V1	I	KA	3S	
		76		V1	I	KA	3S	
		78		V1	I	KA	3S	
		80		V1	I	KA	3S	
		82		V1	I	KA	3S	
	48.5	84		OZ	J	KA	3S / Offset / Rail Type	
	52.5	76		V1	I	SA	3S / Narrow	
		77		V1	I	SA	3S / Narrow	
		78		V5	J	SA	3S / Rail Type	
		78		V1	I	SA	3S / Narrow	
		80		V1	I	SA	3S / Narrow	
		79		V1	J	SA	3S / Rail Type	
	72	41		D	A	P	Standard	
		45		D	A	P	Standard	
		47		D	A	P	Standard	
		48		D	A	P	Standard	
		50		D	A	P	Standard	
		52		B	A	P	Standard	
		52		D	A	P	Standard	
		52		R1	A	PR	Standard	
		56		B	A	P	Standard	
		57		D	A	P	Standard	

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
260	55.5	78	Camso MEX SD	OY	J	S	Rail Type	57
280	52.5	82	Camso MEX SD	V5	J	SA	3S / Rail Type	57
		86		V5	J	SA	3S / Rail Type	
300	52.5	72	Camso MEX SD	V1	I	SA	3S / Narrow	57
		72		V1	I	WA	3S / Wide	
		74		V1	I	SA	3S / Narrow	
		74		V1	I	WA	3S / Wide	
		76		V1	I	SA	3S / Narrow	
		76		V1	I	WA	3S / Wide	
		78		V1	I	SA	3S / Narrow	
		78		V1	I	WA	3S / Wide	
		80		V5	J	SA	3S / Rail Type	
		80		V1	I	SA	3S / Narrow	
		80		V1	I	WA	3S / Wide	
		82		V1	I	SA	3S / Narrow	
		82		V1	I	WA	3S / Wide	
		84		V5	J	SA	3S / Rail Type	
		84		V1	I	SA	3S / Narrow	
		84		V1	I	WA	3S / Wide	
		86		V5	J	SA	3S / Rail Type	
		86		V1	I	SA	3S / Narrow	
		86		V1	I	WA	3S / Wide	
		88		V5	J	SA	3S / Rail Type	
		88		V1	I	SA	3S / Narrow	
		88		V1	I	WA	3S / Wide	
		90		V1	I	WA	3S / Wide	
		92		V1	I	SA	3S / Narrow	
		98		V1	I	SA	3S / Narrow	
	53	80		V5	J	SA	3S / Rail Type	
		84		V5	J	SA	3S / Rail Type	
	55	75		Y2	J	SF	Rail Type	
		77		Y2	J	SF	Rail Type	
		81		Y2	J	SF	Rail Type	
	55.5	76		O	J	SA	3S / Offset / Rail Type	
		78		O	J	SA	3S / Offset / Rail Type	
		79		V1	J	SA	3S / Rail Type	
		82		O	J	SA	3S / Offset / Rail Type	
320	100	71	Camso MEX HXD	AH	I	SA	3S / Narrow	56
		73		AH	I	SA	3S / Narrow	
		74		AH	I	SA	3S / Narrow	
		75		AH	I	WA	3S / Wide	
		77		AH	I	SA	3S / Narrow	
		78		AH	I	SA	3S / Narrow	
		79		AH	I	SA	3S / Narrow	
		79		AH	I	WA	3S / Wide	
		81		AH	I	SA	3S / Narrow	
		81		AH	I	WA	3S / Wide	
		83		AH	I	SA	3S / Narrow	
		85		AH	I	SA	3S / Narrow	
		86		AH	I	WA	3S / Wide	
		87		AH	I	WA	3S / Wide	
		88		AH	I	SA	3S / Narrow	
320	100	40	Camso MEX SD	Q	A	W	Standard	57
		43		Q	A	W	Standard	
		52		Q	A	W	Standard	

TECHNICAL DATA | TRACKS

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
350	52.5	84	Camso MEX SD	V1	I	WA	3S	57
		86		V1	I	WA	3S	
		88		V1	I	WA	3S	
	54.5	86	Camso MEX HXD	V1	J	WA	3S / Rail Type	56
	52.5	82		AH	I	WA	3S	
		86		AH	I	WA	3S	
		90		AH	I	WA	3S	
	72.5	68	Camso MEX SD	V1	I	EA	3S / Wide	57
		70		V1	I	EA	3S / Wide	
		70		V1	I	WA	3S / Narrow	
		72		V1	I	EA	3S / Wide	
		72		V1	I	WA	3S / Narrow	
		73		V1	I	WA	3S / Narrow	
		74		V1	I	EA	3S / Wide	
		74		V1	I	WA	3S / Narrow	
		74		V1	J	EA	3S / Rail Type	
		76		V1	I	EA	3S / Wide (33)	
		76		V1	I	EA	3S / Wide	
		82		V1	I	EA	3S / Wide	
		72	Camso MEX HXD	AH	I	EA	3S / Wide	56
		73		AH	I	WA	3S / Narrow	
		74		AH	I	EA	3S / Wide	
		74		AH	I	WA	3S / Narrow	
		74		AH	J	EA	3S / Rail Type	
		76		AH	I	EA	3S / Wide	
		82		AH	I	EA	3S / Wide	
	75.5	74		AH	J	WA	3S / Offset / Rail Type	
450	71	82	Camso MEX SD	V1	I	JA	3S	57
		84		V1	I	JA	3S	
		86		V1	I	JA	3S	
	81	76		V1	I	AA	3S / Wide (36)	
		76		V1	I	AA	3S / Wide	
		76		V1	I	OA	3S / Narrow	
		78		V1	I	OA	3S / Narrow	
	71	86	Camso MEX HXD	AH	I	JA	3S	56
	76	74		AH	I	JA	3S	
		80		AH	I	JA	3S	
		82		AH	I	JA	3S	
		84		AH	I	JA	3S	
	81	74		AH	I	AA	3S / Wide	
		76		AH	I	AA	3S / Wide (36)	
		76		AH	I	AA	3S / Wide	
		76		AH	I	OA	3S / Narrow	
		78		AH	I	OA	3S / Narrow	
	83,5	74		AH	J	UA	3S / Offset / Rail Type	
485	92	72	Camso MEX HXD	AH	I	D	Offset	56
500	92	78	Camso MEX HXD	AH	I	DA	3S	56
		80		AH	I	DA	3S	
		84		AH	I	DA	3S	
		88		AH	I	DA	3S	

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
381	100	42	Camso MTL HXD	MTL1	-	-	-	62
457	100	56	Camso MTL HXD	MTL2	-	-	-	62
	100 (200)	51		MTL2	-	-	-	
	100 (201)	51		MTL2	-	-	-	

TECHNICAL DATA | TRACKS

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
10	152.4	26	Camso RUBBER OTT	-	-	-	-	63
		27		-	-	-	-	
		28		-	-	-	-	
		29		-	-	-	-	
		31		-	-	-	-	
12	152.4	29	Camso RUBBER OTT	-	-	-	-	63
		30		-	-	-	-	
		31		-	-	-	-	
		32		-	-	-	-	
		33		-	-	-	-	

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
457	224	36	Camso Paver HXD	Chevron	-	-	-	64

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
700	100	96	Camso Carrier HXD	A2	B	T	Standard	64
		98		A2	B	T	Standard	
750	150	66	Camso Carrier HXD	A2	B	T	Standard	64

WIDTH	LINK	PRODUCT NAME	TYRE SIZE	DESCRIPTION	PAGE NUMBER
-	-	Camso Steel OTT	10-16.5	-	63
335	18	Camso Steel OTT	27x10.5-15	335x18x263 B T10 S	63
380	20	Camso Steel OTT	12-16.5	380x20x263 B T12 S	63

WIDTH	PITCH	PRODUCT NAME	DESCRIPTION	PAGE NUMBER
400	135	Camso PAD HXD	RP-400125AHB	58
			RP-400125AHC	
450	140	Camso PAD HXD	RP-450130AHA	58
	154		RP-450145AHA	
			RP-450145AHB	
500	171.5	Camso PAD HXD	RP-500165AHB	58
600	190	Camso PAD HXD	RP-600185AHA	58

*Verify exact fitment with the machine serial number at: <https://camso.co/en/products-solutions/construction>

The information contained in this document is for guidance purposes only.
Please visit camso.co, connect.camso.co or consult your sale representative.

5 YEAR TYRE WARRANTY†

All Camso products are guaranteed to be free from defects due to materials and workmanship.

If a product is deemed defective upon our examination and analysis inside a period of five (5) years from the manufacture of the product, Camso will provide an allowance against the current purchase price. The allowance will be determined by Camso, to be applied towards the purchase of a new product, based on the remaining unused portion of the tread or warrantable lifetime on the defective product.

The cost of transportation, service, and sales tax, already paid will be borne by the owner of the Camso product making the claim. Warranty will not apply if the Camso product has been installed incorrectly, altered, repaired or misused in any matter whatsoever, which, in our opinion, has affected the performance of the tyre.

Camso can not be held responsible for damages or claims caused by the tyre whether such damages are direct or indirect, special, consequential or otherwise. Any liability is strictly limited to repair or reduction of an applicable purchase, according to the mentioned provision in our General Claim Policy and Adjustments.

This warranty is for the exclusive benefit of the owner and is transferrable to a subsequent owner but is not otherwise assignable.

† This text is an extract of our General Claim Policy and Adjustments, which is the only valid and applicable Policy.

WARRANTY TERMS CONSTRUCTION TRACK**

Track Series		
Machine Type	Months of Service***	Hours Limit***
Camso SD series		
CTL	18	1500
MEX	30	2500
Camso HXD series		
CTL	24	2000
MEX	42	3500
PAD's	36	3000
MTL	14	1200
OTT	12	No Limit
Steel OTT	24	No Limit
CAR	12	1000
RHV	12	1000
PAV	18	1500

** This is an extract of our warranty certificate.

*** Whichever comes first. If unknown months of service, manufacturing date will be used.

For the complete warranty details please visit connect.camso.co


CAMSO DIGITAL TOOLS

CAMSO WEBSITE

Developed for those who work and play on a surface that isn't a road, Camso.co provides information and tools wherever and whenever users need them, no matter what device they're using: a phone, a tablet or a computer.

camso.co

- Product selectors for OTR tires, tracks and track systems for the Construction, Material Handling, Agriculture, and Powersports industries
- Dedicated content such as testimonials, videos, best practices and industry news
- Service and support information including warranty documents, data books and fitment guides
- Contact finder




CAMSO CONNECT

connect.camso.co or on the App Store

Camso connect, previously known as the Si (Sales Intelligence), is a tool that facilitates the explanation of the features and benefits of our Material Handling, Construction and Agricultural products.

- Accessible off-line with the iOS app version
- Complete product information, including features and benefits and product sheets
- 360 views of products and action videos
- Product support information



CONNECT WITH US FOR EXCLUSIVE ROAD FREE CONTENT



@camso.co



/camoplastsolideal



@camso_co



@camso_co



@camso_co

camso.co



TOUGH IS OUR WAY OF LIFE



camso.co



**ROAD
FREE
COMPANY**