

2021

PRODUCT CATALOGUE CONSTRUCTION TYRES AND TRACKS






TABLE OF CONTENTS

PRODUCT NAMING SYSTEM CONSTRUCTION TYRES	_ 4	TYRES FOR SPEC
	_	CAMSO CMP 576
NAMING REFERENCE GUIDE CONSTRUCTION TYRES _	_ 5	CAMSO CMP 533
TYRE COMPLETE LINE OVERVIEW	_ 6	NEW CAMSO AWP
CONSTRUCTION TYRES	Ω	TYRES FOR WHEE
CONSTRUCTION TIRES	_ 0	AND ARTICULATE
TYRES FOR SKID STEER LOADERS	9	CAMSO WHL 753F
CAMSO SKS 732		CAMSO WHL 775F
CAMSO SKS 532		CAMSO WHL 776F
CAMSO SKS 332		CAMSO EMT 538F
CAMSO SKS 753		CAMSO EMT 553R
CAMSO SKS 775		CAMSO LM L2
CAMSO SKS HAULER SKZ		CAMSO LM L3
CAMSO SKS 511		CAMSO WHL 773
CAMS0 SKS 792S	14	CAMSO WHL 775
CAMSO SKS 782S		CAMSO GRD 732
CAMSO SKS 793S		CAMSO TLH 732
CAMSO SKS 796S	16	CAMSO TLH 532
CAMSO SKS 786S	16	CAMSO TLH 753
		CAMSO GRD 533F
TYRES FOR TELEHANDLERS, COMPACT WHEEL LOADE		CAMSO ADT 753R
AND BACKHOE LOADERS		CAMSO MST 776
CAMSO MPT 732		SOLIDEAL HAULE
CAMSO TM R4		SOLIDEAL RES 55
CAMSO SL R4		CONSTRUCTION T
CAMSO MPT 532R		CONSTRUCTION
CAMSO MPT 553R		THE CAMSO DIFF
CAMSO MPT 753		TRACKS COMPLE
CAMSO 4L I3		TREAD PATTERNS
CAMSO BHL 753		CAMSO MEX HXD
CAMSO 4L R1		CAMSO MEX SD _
CAMSO TM R1		CAMSO EXC HXD
CAMSO BHL 532		CAMSO CTL HXD
CAMSO BHL 530	. 25	CAMSO CTL TIXD
CAMSO TLH 792S		CAMSO MTL HXD
CAMSO MPT 793S	. 28	NEW CAMSO STE
TYRES FOR MINI-DUMPERS		CAMSO RUBBER (
AND SELF LOADING MIXERS	20	CAMSO CARRIER
CAMSO MPT 552		CAMSO HXD CHEV
CAMSO DMP 532		CAMSO HXD SMO
CAMISO DIMP 332	. 30	O/ (IVICO TI/LD CIVIC
TYRES FOR WHEEL EXCAVATORS		TECHNICAL DATA
AND MATERIAL HANDLERS	31	TECHNICAL DATA
CAMSO WEX 752	32	
CAMSO WL		WARRANTY
CAMSO WEX 552		
CAMSO WEX 553		
CAMSO WEX 732		
SOLIDEAL HAULER LT		
SOLIDEAL HA-TR		
SOLIDEAL SM		
CAMSO WEX 583S		
SOLIDEAL MAGNUM BAGGER	36	

TYRES FOR SPECIALTY APPLICATIONS	37
CAMSO CMP 576	
CAMSO CMP 533	38
NEW CAMSO AWP 583S	_ 39
TYRES FOR WHEEL LOADERS, MOTOR GRADERS	
AND ARTICULATED DUMP TRUCKS	<i>(</i> ,1
CAMSO WHL 753R	
CAMSO WHL 775R	
CAMSO WHL 776R	
CAMSO EMT 538R	
CAMSO EMT 553R	
CAMSO LM L2	
CAMSO LM L3	
CAMS0 WHL 773	
CAMS0 WHL 775	
CAMSO GRD 732	
CAMSO TLH 732	
CAMSO TLH 532	
CAMSO TLH 753	
CAMSO GRD 533R	
CAMSO ADT 753R	_ 51
CAMSO MST 776	
SOLIDEAL HAULER LT	_ 52
SOLIDEAL RES 550	_ 52
CONSTRUCTION TRACKS	_ 53
THE CAMSO DIFFERENCE	54
TRACKS COMPLETE LINE OVERVIEW	_ 56
TREAD PATTERNS	_ 56
CAMSO MEX HXD	59
CAMSO MEX SD	60
CAMSO EXC HXD PADS	
CAMSO CTL HXD	
CAMSO CTL SD	
CAMSO MTL HXD	66
NEW CAMSO STEEL OTT	67
CAMSO ROBBER OTT	_ 6/
CAMSO CARRIER HXD	_ 68
CAMSO HXD CHEVRON	
CAMSO HXD SMOOTH	68
TECHNICAL DATA I TYRES	
TECHNICAL DATA I TRACKS	_ 76
WARRANTY	82


PRODUCT NAMING SYSTEM | CONSTRUCTION TYRES

Formula: BRAND NAME + PRIMARY MACHINE TYPES + PRODUCT DETAILS

ex.: Camso SKS 793S

Brand name: CAMSO

PRIMARY MACHINE TYPES



PRODUCT DETAILS

1st number: POSITIONING

Тор	7
Core	5
Entry	3

2^{nd}	number:	SURFACE

Soft surfaces	1
Mixed soft surfaces	3
Mixed hard surfaces	5
Hard surfaces	7
Severe surfaces (Solid)	8
Severe surfaces (SolidAir)	9


3rd number: **PATTERN**


Rib	0
R-1	1
Directional (R-4, L-2, E-2, G-2)	2
Non-directional (E-3, L-3, G-3)	3
L-4, E-4	4
L-5 lug	5
L-5 smooth	6
All-season	8


Letter: PRODUCT TYPE


Bias	-
Radial	R
Solid	S

Surface condition classification









NAMING REFERENCE GUIDE | CONSTRUCTION TYRES*

LEGACY TYRES REPLACED WITH NEXT GENERATION TYRES

LEGACY PATTERN	LEGACY NAME		NEW PATTERN	NEW NAME
	SOLIDEAL Xtra Wall	Replaced by	秦	CAMSO SKS 532
	SOLIDEAL Hauler SKS	Replaced by		CAMSO SKS 732
	SOLIDEAL XD 44	Replaced by		CAMSO SKS 775
	SOLIDEAL SL G2	Replaced by		CAMSO TLH 732
	SOLIDEAL SL G3	Replaced by		CAMSO TLH 753

LEGACY TYRES WITH NEW NAME CHANGE ONLY

PATTERN	LEGACY	NEW	PATTERN	LEGACY	NEW	PATTERN	LEGACY	NEW
李	SOLIDEAL Gripper	CAMSO SKS 332		SOLIDEAL MR F3	CAMSO BHL 530		SOLIDEAL SRLS L5	CAMSO WHL 776R
	SOLIDEAL SKS R1	CAMSO SKS 511		SOLIDEAL SLA R4	CAMSO BHL 532	5	SOLIDEAL TH2	CAMSO TLH 532
	SOLIDEAL Safety Master	CAMSO SKS 782S	1	SOLIDEAL BHZ	CAMSO BHL 753		SOLIDEAL SolidAir TLH	CAMSO TLH 792S
	SOLIDEAL Safety Master SM	CAMSO SKS 786S		SOLIDEAL SRGP L3/E3/G3	CAMSO WHL 753R		SOLIDEAL WEX	CAMSO WEX 552
	SOLIDEAL SolidAir SKS	CAMSO SKS 792S	2	SOLIDEAL RM E3/G3	CAMSO WHL 773		SOLIDEAL Bagger HT	CAMSO WEX 583S
F4 155	SOLIDEAL SolidAir SM	CAMSO SKS 796S		SOLIDEAL SRLD L5	CAMSO WHL 775R	F P 9	SOLIDEAL SM C1	CAMSO CMP 576

TYRE COMPLETE LINE OVERVIEW

SKID STEER LOADERS



CAMSO SKS 732



CAMSO **SKS 532**



CAMSO **SKS 332**



CAMSO **SKS 753**



CAMSO SKS 775



CAMSO **HAULER SKZ**



CAMSO SKS 511



CAMSO SKS 792S



CAMSO SKS 782S



CAMSO SKS 793S



CAMSO SKS 796S



CAMSO SKS 786S

UNDERGROUND MINING EQUIPMENT



CAMSO MST 776



SOLIDEAL HAULER LT



SOLIDEAL RES 550 MAGNUM SERIES

TELESCOPIC HANDLERS, COMPACT WHEEL LOADERS AND BACKHOE LOADERS



CAMSO **MPT 732**



CAMSO TM R4



CAMSO SLR4



CAMSO MPT 532R



CAMSO



CAMSO 4L 13



CAMSO **MPT 553R**



CAMSO **BHL 753**



CAMSO



TM R1



CAMSO **BHL 532**



CAMSO BHL 530



CAMSO TLH 792S





CAMSO MPT 793S

RADIAL

WHEEL LOADERS, ARTICULATED DUMP TRUCKS AND MOTOR GRADERS



CAMSO WHL 753R



CAMSO **ADT 753R**



CAMSO EMT 553R



CAMSO **EMT 538R**



CAMSO WHL 775R



CAMSO WHL 776R



CAMSO **GRD 533R**



CAMSO LM L2



CAMSO LM L3



CAMSO WHL 773



CAMSO WHL 775



CAMSO **GRD 732**



CAMSO TLH 732



CAMSO TLH 532



CAMSO TLH 753

WHEEL EXCAVATORS AND MATERIAL HANDLERS



CAMSO WEX 752



CAMSO WL



CAMSO **WEX 552**



CAMSO **WEX 553**



CAMSO **WEX 732**



SOLIDEAL HAULER LT



SOLIDEAL **HAULER SM**



SOLIDEAL HA-TR



CAMSO



SOLIDEAL MAGNUM BAGGER

MINI-DUMPERS AND **SELF-LOADING MIXERS**



CAMSO **MPT 552**



CAMSO **DMP 532**

COMPACTION EQUIPMENT



CAMSO **CMP 533**



CAMSO CMP 576





TYRES FOR SKID STEER LOADERS



CAMSO SKS 732



CAMSO SKS 532



CAMSO SKS 332



CAMSO SKS 753



CAMSO SKS 775



CAMSO HAULER SKZ



SKS 511



SKS 792S



SKS 782S



CAMSO SKS 793S



CAMSO SKS 796S



SKS 786S

MAY ALSO FIT ON









Best off-road traction and durability

Extra thick Void Guard

Maximizes tread impact protection to reduce risk of punctures

Wraparound stepped tread design

Maximizes tread cleanout for best off-road traction



Impact Guard with enhanced rim protection

Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres


Massive directional tread depth

Maximizes off-road traction and durability

The ultimate mixed soft surface skid steer tyre solution. Deepest traction tread with enhanced protective features to maximize durability in softer conditions.

PERFORMANCE





POPULAR SIZES

10-16.5 NHS

12-16.5 NHS

14-17.5 NHS

CAMSO **SKS 532**





Exceptional durability, traction and value

3

OUR MOST POPULAR TYRE

- Enhanced tread depth with curved lug design
 Ensures great durability and improved traction
- Impact Guard with enhanced rim protection
 Provides maximum sidewall and rim flange protection,
 reducing impact damage and flat tyres
- Void Guard
 Enhances tread impact protection to reduce risk of punctures
- Stepped tread design
 Enhances cleanout for improved off-road traction





POPULAR SIZES

27x8.50-15 NHS

10-16.5 NHS

12-16.5 NHS

See full size list on page 70


CAMSO **SKS 332**




Superior value and performance

- Natural rubber compounds
 Provides good chunk and tear resistance
- Directional lug design
 Provides good traction in general-duty applications
- Wider lug width at shoulder
 Provides good stability and promotes even wearing







POPULAR SIZES

10-16.5 NHS

12-16.5 NHS

CAMSO **SKS 753**





Most versatile all-season tyre for mixed surface applications

RENTAL FAVOURITE

- Innovative non-directional tread pattern
 Provides greater durability and versatility
 for mixed surface applications
- Optimzed lug-to-void ratio tread design
 Provides excellent versatility and durability
- Impact Guard with enhanced rim protection
 Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres
- Open, stepped shoulder lugs
 Enhances cleanout and traction on softer surfaces







POPULAR SIZES

27x8.50-15 NHS

10-16.5 NHS

12-16.5 NHS

See full size list on page 70


CAMSO **SKS 775**




Extreme-duty combination of durability and puncture resistance

- Maximum tread depth with highest lug-to-void ratio
 Maximizes tyre life and tread impact resistance
- Innovative open shoulder, stepped tread design Exceptional durability with enhanced traction
- Enhanced next generation Rim Guard
 Maximizes rim flange protection against damage
 from impacts
- Impact Guard sidewall design
 Provides maximum sidewall protection,
 reducing impact damage and flat tyres







POPULAR SIZES

10-16.5 NHS

12-16.5 NHS

14-17.5 NHS


CAMSO **Hauler skz**




Trusted and versatile solution for mixed hard surface applications



- Deep non-directional tread
 Provides enhanced durability on mixed hard surface applications
- High lug-to-void ratio tread
 Provides excellent traction and versatility
- Traditional heavy sidewall design
 Provides good side impact protection for fewer flat tyres





POPULAR SIZES

31x15.50-15 NHS

33x15.50-16.5 NHS

12-16.5 NHS

See full size list on page 70

CAMSO **SKS 511**






Off-road traction at its best



- Aggressive curved R-1 tread pattern
 Maximizes traction and improves ride quality
- Stepped tread design with wide lug spacing Provides enhanced cleanout for improved traction
- Heavy-duty reinforced sidewall
 Provides side impact protection for fewer flat tyres





POPULAR SIZES

29x12.50-15 NHS

31x15.50-15 NHS

33x15.50-16.5 NHS

CAMSO **SKS 792S**





Flat-proof durability meets off-road traction



- Stepped tread design
 - Provides excellent tread cleanout for improved off-road traction
- Reusable wheel
 Enables tyre only replacement and lowers overall cost of ownership
- Optimized conical aperture design
 Improves ride quality and reduces aperture cracking





POPULAR SIZES

27x10-12

31x10-20

See full size list on page 70

CAMSO **SKS 782S**



Flat-proof durability meets off-road traction

- Stepped tread design
 Provides excellent tread cleanout for improved off-road traction
- Reusable wheel
 Enables tyre only replacement and lowers overall cost of ownership
- Quick Fit design
 Eliminates lock & side rings for quicker installation



PERFORMANCE

TYRE LIFE

PLINCTURE RESISTANCE

PUNCTURE RESISTANCE

TRACTION



POPULAR SIZES

8.00-16

31x10-20

33x12-20

CAMSO **SKS 793S**

Severe-duty, flat-proof solution with non-directional tread

Innovative non-directional tread pattern

Optimizes durability and versatility on mixed and hard surfaces

Increased wearable tread

Improves durability for longer service life

PERFORMANCE



Elongated conical aperture design

Provides excellent ride quality and reduces cracking

Quick Fit design

Eliminates lock and side rings for quicker installation

Next-generation versatile solid tyre solution. Engineered to deliver excellent ride quality and best durability for mixed- and hard-surface skid steer applications.

PUNCTURE RESISTANCE TRACTION



POPULAR SIZES

33x12-20


CAMSO **SKS 796S**



Smooth surface, flat-proof solid solution



- Optimized conical aperture design
 Improves ride quality and reduces aperture cracking
- Smooth, full-width footprint
 Provides outstanding tread life and excellent stability
- Reusable wheel
 Enables tyre only replacement and lowers overall
 cost of ownership
- Quick Fit design
 Eliminates lock & side rings for quicker installation





POPULAR SIZES

31x10-20

33x12-20

36x14-20

See full size list on page 72


CAMSO **SKS 786S**




Smooth surface, flat-proof solid solution

- Full solid construction
 Provides excellent durability and flat-free operation
- Smooth, full-width footprint
 Provides excellent stability and tread life
- Reusable wheel
 Provides lower cost per hour and quicker installation
- Quick Fit design
 Eliminates lock & side rings for quicker installation













TYRES FOR TELEHANDLERS, COMPACT WHEEL LOADERS AND BACKHOE LOADERS



CAMSO MPT 732



CAMSO TM R4



CAMSO SL R4



CAMSO MPT 532R



CAMSO MPT 553R



CAMSO MPT 753



CAMSO 4LI3



CAMSO BHL 753



4LR1



CAMSO TM R1



BHL 532



CAMSO BHL 530



CAMSO TLH 792S



CAMSO MPT 793S



CAMSO **MPT 732**



Best off-road traction and durability

Massive directional tread lugs with extended centre blocks

Maximizes off-road traction and durability on mixed and hard surfaces

Wraparound stepped tread design

Maximizes tread cleanout for best off-road traction



Extra thick void guard

Maximizes tread impact protection to reduce risk of punctures

Heavy-duty sidewall with enhanced rim protection

Provides enhanced sidewall and rim flange protection, reducing impact damage and flat tyres

The ultimate mixed soft surface backhoe tyre solution. Deepest traction tread with enhanced protective features to maximize durability in softer conditions.

PERFORMANCE TYRE LIFE PUNCTURE RESISTANCE TRACTION



CAMSO TM R4











Durable off-road performance

- Stepped tread design
 Enhances tread cleanout for improved traction
- Square flat tread profile with centre reinforcement bar
 Promotes even wear across tread surface with increased stability
- Optimized lug-to-void ratio
 Enhances longevity and tread puncture resistance
- Heavy-duty carcass
 Provides excellent stability and side impact resistance





POPULAR SIZES

18-19.5

405/70-20

400/80-24 IND

See full size list on page 72

CAMSO SL R4






Heavy-duty durability and traction

- Heavy-duty carcass
 Improves stability and sidewall protection
- Stepped tread design
 Provides enhanced cleanout for improved traction
- Optimized lug-to-void ratio with deep tread Increases tread life and off-road traction

PERFORMANCE

PUNCTURE RESISTANCE
TRACTION



POPULAR SIZES

12.5/80-18 IMP

18.4-26 IND

16.9-28 IND

CAMSO MPT 532R






Superior off-road traction and durability

1

- Aggressive tread design with deep lugs
 Provides superior off-road traction
- Wide and flat tread profile
 Enhances stability and even wear
- Strong radial carcass
 Improves comfort, traction and durability



CAMSO **MPT 553R**







Optimized performance on mixed surfaces

2

See full size list on page 72

- Non-directional tread pattern
 Optimizes versatility and durability on mixed and hard surfaces
- Large interlocked centre blocks
 Improves lateral stability and driving comfort
- Wide flat tread profile
 Provides enhanced traction, stability and even wear
- Strong radial carcass
 Maximizes tread impact resistance, comfort and durability





POPULAR SIZES

335/80R18

405/70R18

405/70R20

CAMSO **MPT 753**









The next generation in versatility and durability

Flat non-directional tread pattern with high lug-to-void

Enhances stability, ride quality and durability

Impact Guard with enhanced rim protection

Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres

Open, stepped shoulder lugs

Enhances versatility, tread cleanout and traction on softer surfaces


Maximizes tread impact protection

Extra thick Void Guard

to reduce risk of punctures

Engineered to provide enhanced traction in a variety of surface applications without sacrificing ride quality. Excellent overall durability and puncture resistance ensure maximum service life.

PERFORMANCE TYRE LIFE PUNCTURE RESISTANCE TRACTION



POPULAR SIZES	
340/80-20 IND	
400/70-20 IND	
400/70-24 IND	
400/80-24 IND	
440/80-28 IND	
See full size list o	 n page 71


CAMSO **4L I3**








- Directional tread pattern with centre block Reduces vibrations and enhances driving comfort
- Open, stepped shoulder lugs Enhances cleanout and traction on softer surfaces
- Open shoulder tread design Provides excellent traction in off-road conditions
- **Heavy-duty carcass** Provides excellent stability and side impact resistance





POPULAR SIZES

12.5-18

12.5-20

405/70-20

See full size list on page 71


CAMSO **BHL 753**




Comfort and durability for roading and abrasive conditions

- Non-directional deep tread Ensures even tread wear for greater durability
- Optimized continuous-contact tread pattern Significantly reduces vibration for improved ride quality
- High lug-to-void ratio tread Protects against tread impacts and punctures
- Heavy-duty carcass construction Improves stability when roading







POPULAR SIZES

12.5/80-18 IMP

18.4-26 IND

16.9-28 IND


CAMSO **4L R1**





Off-road traction and stability at its best

- Aggressive curved R-1 tread pattern
 Maximizes traction and improves ride quality
- Stepped tread design
 Provides enhanced cleanout for improved traction
- Heavy-duty reinforced sidewall
 Provides good side impact protection for fewer flat tyres
- Extra wide and flat tread profile
 Increased contact area enhances stability and traction





POPULAR SIZES

405/70-20

15.5/80-24 IMP

16.5/85-24 IMP

See full size list on page 70

CAMSO TM R1










Superior traction on soft surfaces

- Aggresive R-1 pattern
 Maximizes traction
- Wide lug spacing
 Promotes great self-cleaning
- Reinforced sidewall design with rim guard
 Protects sidewalls and rim flanges against damage from impacts

PERFORMANCE

PUNCTURE RESISTANCE

TRACTION



POPULAR SIZE

12.5/80-18 IMP


CAMSO **BHL 532**




Durability meets ride quality

2

- Optimized continuous contact tread design Improves ride quality when roading
- Stepped tread design
 Provides enhanced cleanout for improved traction
- Heavy-duty carcass construction
 Improves stability and sidewall protection





POPULAR SIZES

12.5/80-18 IMP

16.9-24 IND

19.5L-24 IND

See full size list on page 72


CAMSO **BHL 530**




Performance and quality you can rely on

3

- Engineered F-3 RIB tread design
 Provides smooth ride and effective steering
- Robust, heavy-duty carcass
 Reduces tread crowning for even wearing and excellent stability
- Enhanced tread depth Extends tread life





POPULAR SIZES

11L-15SL IMP

11L-16SL IMP



CAMSO **TLH 792S**



Severe-duty solid tyre solution

Engineered solid tyre solution

Provides flat-free operation and ultimate durability

Massive directional tread depth

Maximizes off-road traction and durability



Patented triangular aperture design

Optimizes stability, strength and comfort

Stepped tread design

Enhances cleanout for improved off-road traction

A severe-duty flat-free telehandler tyre. With optimized stability, durability and comfort, it delivers flat-free operation and traction in extreme applications.

PERFORMANCE





POPULAR SIZES

13.00-24

14.00-24

CAMSO **MPT 793S**



Severe-duty flat-free tyre solution

Purpose-built engineered solid tyre design

Provides flat-free operation and ultimate productivity in severe conditions

Triangular aperture sidewall design

Maximizes stability and ride quality

Stepped shoulder lugs

Enhances tread cleanout for better traction in softer surfaces

Massive non directional tread pattern

Improves durability and versatility

A severe-duty solid multi purpose tyre solution. With flat-free operation, the MPT 793S provide excellent stability, ride quality and unmatched durability.

PERFORMANCE





POPULAR SIZES

385/70-20

375/85-24





TYRES FOR MINI-DUMPERS AND SELF LOADING MIXERS





CAMSO MPT 552

CAMSO DMP 532

MAY ALSO FIT ON



CAMSO **MPT 552**











A smooth ride with enhanced traction

- Versatile directional tread pattern with center block Reduces vibrations and enhances driving comfort
- Self-cleaning stepped tread

 Maximizes cleanout for better off-road traction
- Open shoulder tread design
 Provides excellent traction in off-road conditions
- Improved heel engineering
 Reduces mounting and inflation time





POPULAR SIZES

10.0/75-15.3 IMP

11.5/80-15.3 IMP

12.0/75-18 IMP

See full size list on page 70

CAMSO **DMP 532**



Roading comfort and off-road traction

- Wide lug spacing
 Promotes great self-cleaning
- Flat tread profile with centre reinforcement bar
 Promotes even wear across tread surface with increased stability
- Low aspect ratio sidewall

 Maximizes traction, flotation and stability
- Wide and aggressively curved tread
 Provides excellent off-road traction and stability




PERFORMANCE

TYRE LIFE

PUNCTURE RESISTANCE

TRACTION



POPULAR SIZE

500/60-22.5 IMP





TYRES FOR WHEEL EXCAVATORS AND MATERIAL HANDLERS



CAMSO WEX 752



CAMSO WL



CAMSO WEX 552



CAMSO WEX 553



CAMSO WEX 732



SOLIDEAL HAULER LT



CAMSO WEX 583S



SOLIDEAL MAGNUM BAGGER



SOLIDEAL HAULER HA-TR



SOLIDEAL HAULER SM

CAMSO **WEX 752**



Ultimate off-road performance and durability

Massive directional tread lugs with extended centre

Maximizes off-road traction and durability

Extra thick Void Guard

Maximizes tread impact protection to reduce risk of punctures

Wraparound Stepped Tread Design

Maximizes tread cleanout for best off-road traction



Integrated Stone Guard*

Eliminates the need for a spacer while protecting inner sidewalls against impacts

Heavy-duty sidewall


Provides enhanced sidewall protection, maximizes stability and operator comfort

*Only available on tyre size 290/90-20

Engineered for today's heavier machines to provide maximum performance and durability on mixed hard surfaces. Provides excellent traction and stablity with superior impact protection.

PERFORMANCE





POPULAR SIZES

8.25-20 9.00-20 10.00-20 290/90-20







High performance, enhanced protection



- Heavy-duty carcass construction
 Improves stability and sidewall protection
- Optimized lug-to-void ratio with deep tread Increases tread life and off-road traction
- Flat tread profile with centre reinforcement
 Promotes even wear across tread surface with increased stability
- Extra deep directional lug design
 Provides enhanced traction in heavy-duty applications





POPULAR SIZES

9.00-20

10.00-20

11.00-20

See full size list on page 71

CAMSO **WEX 552**




Superior value and performance



- Robust carcass
 Enhances stability and side impact resistance
- Natural rubber compounds
 Provides good chunk and tear resistance
- Deep directional lug design
 Provides good traction in general-duty applications

PERFORMANCE TYRE LIFE PUNCTURE RESISTANCE TRACTION



POPULAR SIZES

8.25-20

9.00-20

10.00-20


CAMSO WEX 553




Enhanced durability and sidewall protection



- Non-directional tread pattern with high lug-to-void ratio
 Provides greater durability and versatility for mixed
 and hard surfaces
- Full wraparound steps on centre lugs
 Maximizes tread cleanout for best off-road traction
- Integrated Stone Guard
 Eliminates the need for a spacer while protecting inner sidewalls
 against impacts
- Heavy-duty bias sidewall
 Provides enhanced sidewall protection, maximizes stability and operator comfort





POPULAR SIZES

315/70-22.5

See full size list on page 72

CAMSO WEX 732




Ultimate off-road traction and flotation




- Extra thick Void Guard

 Maximizes tread impact protection to reduce
 risk of punctures
- Stepped tread design
 Provides enhanced cleanout for improved traction
- Impact Guard with enhanced rim protection
 Provides maximum sidewall and rim flange protection,
 reducing impact damage and flat tyres
- Low aspect ratio sidewall

 Maximizes traction and flotation





POPULAR SIZES

500/45-20 IND (8.25-20 Dual)

SOLIDEAL HAULER LT BY CAMSO







Ready for your challenges

Wide square tread profile

Provides superior stability

Massive tread blocks and deep lugs

Extend service life in severe applications



Wide sidewall with rim guard

Provides best side impact resistance

Three times thicker than standard tyres

Reinforced undertread

Increases puncture resistance

With a heavy-duty carcass and high abrasion-resistant tread, it delivers both incredible puncture resistance and long life. With a reinforced sidewall for side impact protection, it's unstoppable.

PERFORMANCE

TYRE LIFE



STABILITY



POPULAR SIZES	
9.00-20	
10.00-20	
11.00-20	
12.00-20	
12 00-24	



SOLIDEAL **Hauler Ha-tr**

Its unique half-lug, half-smooth tread pattern provides excellent durability for road-to-rail applications

POPULAR SIZES

10.00-20

12.00-20



SOLIDEAL **Hauler SM**

Its smooth tread pattern increases tyre life, prevents lug tearing and increases steerability

POPULAR SIZES

10.00-20

12.00-20

CAMSO WEX 583S





Solid, high traction solution for severe conditions

- Solid 2 layer construction
 Provides maximum stability and flat-free operation
- Aggressive tread design
 Provides enhanced traction in off-road conditions
- Natural rubber compounds with optimized lug-to-void ratio Enhances chunk resistance and stability

PERFORMANCE TYRE LIFE))		
PUNCTURE RESISTAN)))	
TRACTION		/			
POPULAR SIZES					



9.00-20

10.00-20

12.00-20

See full size list on page 71

SOLIDEAL MAGNUM BAGGER









Solid, hard surface solution for severe conditions

- Wide and flat non-directional tread pattern
 Provides exceptional durability and grip on mixed and hard surfaces
- Natural rubber compounds
 Provides good chunk and tear resistance
- High lug-to-void ratio tread
 Provides maximum durability and stability
- Provides maximum durability and stability
 Available in 2 or 3 layer construction. Provides maximum durability and flat-free operation
- 60J line
 Ensures maximum tyre utilization

PERFORMANCE

TYRE LIFE

PUNCTURE RESISTANCE

TRACTION





POPULAR SIZES

10.00-20

12.00-20

12.00-24







TYRES FOR SPECIALTY APPLICATIONS







CAMSO CMP 533



CAMSO AWP 583S


CAMSO CMP **576**



Excellent compaction performance and durability



- Smooth, flat tread profile
 Promotes even wear and reduced ground pressure
 for better compaction performance
- Heat-resistant rubber compound
 Improves durability for lower cost per hour
- Heavy-duty carcass
 Provides excellent stability and durability




CAMSO **CMP 533**




Soil compaction performance and durability

- Optimized R-3 tread pattern
 Minimizes ground pressure and damage
 for better compaction performance
- Premium rubber compounding
 Resists weather-checking caused by UV
 and ozone damage
- Stepped tread design
 Provides enhanced cleanout for improved traction







POPULAR SIZE

23.1-26 IND





Built for safety and durability



Purpose-built to maximize productivity for indoor scissor lift application, this non-marking cured-on tyre solution ensures long service life while ensuring safe lift operation.

PERFORMANCE













TYRES FOR WHEEL LOADERS, MOTOR GRADERS AND ARTICULATED DUMP TRUCKS



CAMSO WHL 753R



CAMSO WHL 775R



CAMSO WHL 776R



CAMSO EMT 538R



CAMSO EMT 553R



CAMSO



CAMSO LM L3



CAMSO WHL 773



CAMSO WHL 775



CAMSO GRD 732



CAMSO TLH 732



CAMSO TLH 532



CAMSO TLH 753



GRD 533R



CAMSO ADT 753R



CAMSO MST 776



SOLIDEAL HAULER LT



SOLIDEAL RES 550

CAMSO **WHL 753R**







Radial performance, versatility and durability

Heavy-duty Dual-star carcass

Enhances stability and versatility for wheel loader, earthmover and motor grader applications

Optimized offset tread pattern

Reduces vibration for improved ride quality



Premium long-wearing tread compound

Provides excellent durability and low operating cost per hour


Non-directional stepped design

Enhances cleanout for improved traction

Delivers excellent performance, versatility and durability. With enhanced stability, ride quality and traction, it's the best choice for both one-star and two-star applications.

PERFORMANCE





POPULAR SIZES

17.5R25 20.5R25 23.5R25 26.5R25 29.5R25



CAMSO WHL 775R







2

Mixed hard surface L-5 radial durability at its best

- Extra-deep L-5 traction tread
 Provides reliable traction and enhanced protection against
 punctures in extreme mixed and hard surface applications
- Heavy-duty two-star rated carcass
 Enhances durability and resistance to punctures for extreme
 mixed and hard surface applications
- Contoured lug base
 Promotes stone ejection and reduces damage between lugs
- Extra flat tread profile
 Reduces tread crowning for even wear across tread surface





POPULAR SIZES

17.5R25

20.5R25

23.5R25

See full size list on page 74

CAMSO WHL 776R






Hard surface L-5S radial durability at its best

- Extra-deep L-5 smooth tread
 Best durability and resistance to flat tyres for extreme hard surface applications
- Heavy-duty two-star rated carcass
 Enhances durability and resistance to punctures
 for extreme hard surface applications
- Extra flat tread profile
 Reduces tread crowning for even wear across tread surface
- Integral tread wear indicator
 Provides accurate indication of remaining service life



PERFORMANCE TYRE LIFE PUNCTURE RESISTANCE

TRACTION



POPULAR SIZES

17.5R25

23.5R25

26.5R25



CAMSO **EMT 538R**







Optimized performance in winter conditions



- Heavy-duty dual star rated carcass Enhances stability and versatility for loader, earthmover and grader applications
- Open shoulder tread pattern design Enhances tread cleanout for improved traction in mud and snow
- Reinforced sidewall rib Enhances protection against sidewall damage and punctures
- Winter-resistant rubber compound with deep lug siping Provides many biting edges and grader applications





POPULAR SIZES

17.5R25

20.5R25

23.5R25

See full size list on page 74

CAMSO **EMT 553R**




Optimized on-road and off-road performance



- Non-directional tread pattern Increases durability and versatility on mixed and hard surfaces
- Interconnected multi-block tread pattern Improves stability, self-cleaning and grip on soft soils
- Strong radial carcass Maximizes comfort, traction and durability
- Low profile tyre size Maximizes footprint, stability and wearable rubber volume

PERFORMANCE TYRE LIFE



POPULAR SIZES

600/65R25

650/65R25

750/65R25

CAMSO LM L2






Off-road traction and durability



- Heavy-duty carcass
 Increases side impact resistance and stability
- Stepped tread design
 Enhances tread cleanout for improved traction
- Deep and flat tread profile
 Reduces tread crowning for improved durability





POPULAR SIZES

15.5-25

17.5-25

20.5-25

See full size list on page 74

CAMSO LM L3





Multi-surface performance




- Heavy-duty carcass
 Increases side impact resistance and stability
- Non-directional tread pattern
 with optimized lug-to-void ratio
 Ensures even tread wearing for greater durability
- Stepped tread design
 Enhances tread cleanout for improved traction
- Deep and flat tread profile
 Reduces tread crowning for improved durability

PERFORMANCE

PUNCTURE RESISTANCE





POPULAR SIZES

17.5 - 25

20.5 - 25

23.5 - 25

CAMSO **WHL 773**






Reliable performance in harsh applications



- Heavy-duty carcass
 Increases stability and side impact protection
- High lug-to-void ratio
 Provides excellent durability and tread impact protection
- Extra wide rock lug tread design
 Provides traction and durability
 in mixed and hard surface applications



CAMSO WHL 775







Extreme-duty L-5 solution combining durability and puncture resistance

- Provides reliable traction and enhanced protection against punctures in extreme mixed and hard surface applications
- Heavy-duty reinforced carcass
 Enhances durability and stability under load
 in extreme mixed and hard surface applications
- Heavy-duty sidewall construction
 Protects against side impacts and damage in severe applications
- Contoured lug base
 Promotes stone ejection and resistance to cracking

Available in certain markets only. Please check with your sales representative.







POPULAR SIZES

17.5-25

20.5-25

23.5-25


CAMSO **GRD 732**




Ultimate off-road traction and stability

1 4

- Void guard impact protection
 Enhances tread impact resistance to reduce risk of punctures
- Wraparound stepped tread design
 Maximizes tread cleanout for best off-road traction
- Massive tread depth with curved tread lugs
 Ensures excellent traction on soft surfaces and long wearing
 durability when operating at higher speeds
- Impact guard with enhanced rim protection
 Provides maximum sidewall and rim flange protection, reducing impact damage and flat tyres





POPULAR SIZES

13.00-24

14.00-24

16.00-24

See full size list on page 73

CAMSO TLH 732





Best off-road traction, durability and stability



- Massive tread depth with curved tread lugs
 Ensures great durability and improved traction
 when operating at higher speeds
- Wraparound stepped tread design
 Maximizes tread cleanout for best off-road traction
- Extra thick Void Guard


 Maximizes tread impact protection to reduce risk of punctures
- Impact Guard with enhanced rim protection
 Provides maximum sidewall and rim flange protection,
 reducing impact damage and flat tyres

PERFORMANCE

TYRE LIFE

PUNCTURE RESISTANCE

TRACTION



POPULAR SIZES

13.00-24

14.00-24

CAMSO TLH 532








Superior value and performance

- Optimized lug-to-void ratio with deep tread Increases tread life and off-road traction
- Heavy-duty carcass construction
 Improves stability and sidewall protection
- Flat tread profile
 Resists tread crowning for even wearing



TRACTION



POPULAR SIZES

13.00-24

14.00-24

See full size list on page 73

CAMSO **TLH 753**








Next generation durability and versatility

- Innovative non-directional tread pattern
 Provides greater durability and versatility
 for mixed surface applications
- Open, stepped shoulder lugs
 Enhances cleanout and traction when on softer surfaces
- Optimzed lug-to-void ratio tread design
 Provides excellent traction, durability and stability
 when operating at higher speeds
- Impact Guard with enhanced rim protection
 Provides maximum sidewall and rim flange protection,
 reducing impact damage and flat tyres

PERFORMANCE

PUNCTURE RESISTANCE



POPULAR SIZES

13.00-24 14.00-24

370/75-28


CAMSO **GRD 5**33R




Optimized traction and performance on multiple surfaces



- Non-directional tread pattern Optimizes durability and traction
- Wide flat tread profile Provides enhanced grip, stability and flotation
- Interconnected multi-block tread pattern Improves self-cleaning and traction on soft soils
- Strong radial carcass Maximizes comfort, traction and durability





POPULAR SIZE

14.00R24

See full size list on page 73


CAMSO **ADT 753R**




Premium off-road traction and stability



- Non-directional tread pattern with optimized lug-to-void ratio Increases traction and durability in off-road conditions
- Interconnected multi-block tread pattern Improves stability, self-cleaning and grip on soft soils
- Heavy-duty dual-star carcass Optimizes stability for articulated dump truck applications
- Premium heat resistant rubber compounds Reduces heat build-up, allowing long duty cycle





POPULAR SIZES

23.5R25

26.5R25

29.5R25

CAMSO **MST 776**



Underground hard surface performance and durability

Massive L-5 smooth tread pattern

Provides excellent puncture and impact resistance

Premium mining rubber compounds

Enhances wearing and cut resistance



Impact guard sidewall design


Provides maximum sidewall protection, reducing impact damage and downtime

Enhanced next generation Rim Guard

Maximizes rim flange protection against damage from impacts

Engineered to maximize service life and to resist sidewall and tread impact for maximized uptime in extreme underground mining application.

PERFORMANCE TYRE LIFE PUNCTURE RESISTANCE TRACTION



POPULAR SIZE

12.00-24

See full size list on page 72



SOLIDEAL **HAULER LT**

Ready for your challenges



SOLIDEAL **RES 550** MAGNUM SERIES

Solid, hard surface solution for severe conditions

CONSTRUCTION TRACKS



THE CAMSO DIFFERENCE

At Camso we achieved an edge on our competition by differentiating ourselves in three specific ways:

Camso is a leading manufacturer of OEM brands

Camso is a proud supplier of the world's best known construction brands. We have achieved our OEM positions through close collaboration, co-development, and validation with leading equipment manufacturers. Working with the OEM's has pushed our products to new levels of toughness and represents a symbol of quality and performance end-users can trust.

Many Camso products are also offered through various OEM aftermarket programs.

Camso offers the best warranty on the market

Actions speak louder than words. This is why we improved our terms and back all of our tracks with an industry leading non-prorated warranty on material and workmanship.

TRACK	MACHINE TYPE	MONTHS 0	FSERVICE	HOURS LIMIT		
SERIES		OLD	NEW	OLD	NEW	
CAMSO SD series	CTL	13	18	1100	1500	
	MEX	24	30	2000	2500	
CAMSO HXD series	CTL	18	24	1500	2000	
	MEX	36	42	3000	3500	
	EXC PADS	N/A	36	N/A	3000	
	MTL	14	14	1200	1200	
	RUBBER OTT	12	12	No limit	No limit	
	STEEL OTT	N/A	24	N/A	No limit	




TOTAL



Camso construction tracks offer lowest operating cost solution

DURABILITY

Camso reduces the total cost of tracks over the machine lifetime with high quality compound.





RELIABILITY

Camso technology solves problems like detracking and cable breakage to increase uptime over the machine lifetime.





EXCEPTIONAL PERFORMANCE

Camso keeps you productive on the job-site with the right products for your application and surface type.





THE CAMSO DIFFERENCE

Camso tracks reduce the overall cost of equipment ownership over the lifetime of the machine.

TRACKS COMPLETE LINE OVERVIEW

TRACKS FOR MINI-EXCAVATORS



CAMSO MEX HXD

CAMSO MEX SD

TRACKS FOR MULTI-TERRAIN LOADERS



CAMSO

TRACKS FOR CARRIERS



CARRIER HXD

TRACKS FOR COMPACT TRACK LOADERS



CAMSO CTL HXD

CAMSO

OTT TRACKS FOR SKID STEER LOADERS



STEEL OTT

RUBBER OTT

TRACKS FOR PAVERS



CAMSO HXD CHEVRON




CAMSO HXD SMOOTH

TREAD PATTERNS



COMPACT TRACK LOADERS




SD



TREAD PATTERNS (continued)



MINI-EXCAVATORS





MULTI-TERRAIN LOADERS







OVER-THE-TIRE TRACKS (OTT)







CARRIERS





BV206





PAVERS










Extreme durability and resistance to severe conditions



The ultimate solution for most users, engineered to provide maximum protection against damage and catastrophic failure, increasing your uptime.



BEST TRACK CHOICE FOR:






Delivers enhanced service life with performance and predictability



The best solution for heavy-duty applications. Designed to provide excellent protection against damage and failure for a long and predictable service life.




BEST TRACK CHOICE FOR:



CAMSO **EXC HXD PADS**



Extremely durable chain-on pads offering the best uptime solution



Chain-on pads (roadliners) with a premium quality HXD rubber compound. Supported by a forged metal plate with optimized geometry to maximize edge protection ensuring long service life.

PERFORMANCE TREAD LIFE FAILURE RESISTANCE TRACTION

BEST TRACK CHOICE FOR:








BEST CHOICE FOR ABRASIVE TERRAIN

The ultimate track for durability and performance

Single-cure technology with next generation rubber compound

Promotes even tread wear for the longest and most predictable tread life



Optimized H pattern tread profile

Provides excellent durability throughout tread life in heavy-duty applications

Enhanced endless high-tensile steel cables

Eliminates unexpected downtime due to cable and joint failures

Forged metal cores with Trackguard technology

Improves rolling path life for reduced failures and enhanced durability

Ultimate durability and remarkable traction to maximize your uptime on heavy-duty applications.

PERFORMANCE

FAILURE RESISTANCE
TRACTION

BEST TRACK CHOICE FOR:













BEST CHOICE FOR MUD AND SNOW

All-season traction and versatility

Single-cure technnology with a proven rubber compound

Promotes even tread wear for a long predictable tread life

Forged metal cores with

Trackguard technology

Improves rolling path life for reduced failures and enhanced durability

Versatile all-season traction tread pattern

Provides outstanding traction on various surface conditions year-round

Endless high-tensile steel cables

Eliminates unexpected downtime due to cable and joint failures

A versatile solution that provides ultimate traction and excellent performance on various surface conditions year-round.

PERFORMANCE TREAD LIFE FAILURE RESISTANCE TRACTION

BEST TRACK CHOICE FOR:








Enhanced durability and protection

Single-cure technology with superior internal casing structure

Designed to provide maximum drive lug bonding and utilisation life



Versatile tread pattern matched with advanced rubber compound

Maintains good traction throughout tread life

Heavy duty carcass construction

Increases lateral stability to eliminate detracking for more uptime

The multi-terrain loader solution for longer track life and better protection against drive lug failure. Increased durability combined with lateral stability minimizes operating costs by adding an extra season of service on the job site.

PERFORMANCE



BEST TRACK CHOICE FOR:











Exceptional off-road track performance

Fitments available for all major manufacturers

- Case-hardened all-steel track construction

 Maximized durability and performance in severe applications
- Customizable sizing with variable pitch design Facilitates easy product selection and installation
- Engineered high-traction tread bar
 Enhanced all-around traction especially on open side slopes
 and unprecedented traction on ice
- Wide-void design
 Enhances debris and rock cleanout providing optimum traction
 on soft surfaces





BEST TRACK CHOICE FOR:



See specifications on page 81

CAMSO **RUBBER OTT**




Track performance almost anywhere

Fitments available for all major manufacturers

- Full rubber track reinforced with steel core and cables
 Allows smoother operation on asphalt, concrete
 and turf surfaces without damage or marking
- Wide continuous rubber track footprint
 Increases flotation by 5 times compared to tyres alone,
 and at least twice as much as standard steel tracks
- Embedded forged metal core with engineered wing design Ensures strength and ridgity to avoid detracking
- Internal traction rib
 Provides high traction between tyre and track
 and prevents tyre wear





CAMSO CARRIER HXD




Top performance and uptime



Protects from joint failures to avoid unexpected downtime

Trackguard iron core

Improves rolling path life for reduced failures and enhanced durability



Straight bar tread pattern

Provides optimal traction

Next generation rubber compound

Promotes even tread wearing for long, predictable tread life

The ideal carrier track to perform in the most severe application and avoid unexpected downtime. It is built to provide best durability for a long and predictable track life.

PERFORMANCE



BEST TRACK CHOICE FOR:









Fitments available for all major manufacturers See technical data on page 81



CAMSO HXD CHEVRON Paver track

Durability meets traction



CAMSO HXD SMOOTH Paver track

Durability at its best

TECHNICAL DATA

TECHNICAL DATA | TYRES

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
		6 PR	Camso Hauler SKS	-	8.161.8000
	22v0 E0 12 CC	6 PR	Camso SKS 532	11	8.1210.9650
	23x8.50-12 SS	12 PR	Camso Hauler SKS	-	8.165.8002
		12 PR	Camso SKS 532	11	8.1211.9654
12	2012.00.12.00	8 PR	Camso SKS 511	13	8.338.4267
	26x12.00-12 SS	10 PR	Camso SKS 532	11	8.1212.9658
	27x10-12	14 PR	Camso Xtra Wall	-	1.1237.10771 (50.4407.4364)
	Z/X1U-1Z	(8.00)	Camso SKS 792S	14	9.1616.18226 (Left) / 9.1617.18228 (Right)
	5.70-12 NHS	4 PR	Camso SKS 532	11	8.1207.9638
	11L-15SL IMP	12 PR	Camso BHL 530	25	2.95.525
		6 PR	Camso Hauler SKS	-	8.170.8004
	27v0 E0 1E NHC	8 PR	Camso Hauler SKS	-	8.534.5262
	27x8.50-15 NHS	8 PR	Camso SKS 532	11	8.1208.9642
		8 PR	Camso SKS 753	12	8.1181.9536
	27x10.50-15 NHS	8 PR	Camso Hauler SKS	-	8.208.7917
15	29x12.50-15 NHS	8 PR	Camso SKS 511	13	8.389.3735
		8 PR	Camso Hauler SKZ	13	8.575.5450
	31x15.50-15 NHS	8 PR	Camso SKS 511	13	8.339.4255
		8 PR	Camso SKS 532	11	8.1209.9646
	7.00-15 SS	6 PR	Camso Xtra Wall	-	8.663.8040
	7.50-15 NHS	14 PR	Camso CMP 576	38	3.124.618
	8.50/90-15K	6 PR	Camso CMP 576	38	3.125.627
		12 PR	Camso 4L R1	24	5.1188.9570
	10.0/75-15.3 IMP	12 PR	Camso MPT 552	30	5.1159.11055
		18 PR	Camso MPT 552	30	5.1160.11057
15.3	11.5/80-15.3 IMP	8 PR	Camso 4L R1	24	5.417.7920
		14 PR	Camso 4L R1	24	5.1189.9574
		14 PR	Camso MPT 552	30	5.1161.9624
	11L-16SL IMP	12 PR	Camso BHL 530	25	2.97.543
	7.50-16	(5.50)	Camso SKS 782S	14	9.544.8573 (Left) / 9.543.8570 (Right)
16	8.00-16	(5.50)	Camso SKS 782S	14	9.98.4669 (Normal heel)
	8.00-16	(6.00)	Camso SKS 782S	14	9.101.4671 (Normal heel)
_	9.00-16	16 PR	Camso BHL 573	-	2.1191.9580
	9.00-10	8 PR	Camso SKS 332	11	8.652.8038
	10-16.5 NHS	10 PR	Camso Hauler SKZ	13	8.177.8010
		10 PR	Camso SKS 332	11	8.1308.11047
		10 PR	Camso SKS 532	11	8.1004.8699
		10 PR	Camso SKS 732	10	8.954.8431
		10 PR	Camso SKS 753	12	8.1024.8833
		10 PR	Camso SKS 775	12	8.957.8437
	12-16.5 NHS	10 PR	Camso SKS 332	11	8.654.6768
		12 PR	Camso BHL 753	23	2.910.8058
16.5		12 PR	Camso Hauler SKZ	13	8.189.1035
		12 PR	Camso SKS 332	11	8.1309.11049
		12 PR	Camso SKS 532	11	8.1006.8709
		12 PR	Camso SKS 732	10	8.939.8433
		12 PR	Camso SKS 753	12	8.1025.8839
		12 PR	Camso SKS 775	12	8.937.8439
		14 PR	Camso SKS 532	11	8.1239.10777
	26x12-16.5	10 PR	Camso SKS 511	13	8.361.3387
	04 5 40 00 45 =	10 PR	Camso Xtra Wall	-	8.453.7929
	31.5x13.00-16.5 NHS	10 PR	Camso Hauler SKS	-	8.209.7928

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
16.5	33x15.50-16.5 NHS	14 PR	Camso Hauler SKS	-	8.274.2811
10.5	33X13.30-10.3 NH3	14 PR	Camso Hauler SKZ	13	8.326.3832
		14 PR	Camso SKS 532	11	8.1026.8845
17.5	14-17.5 NHS	14 PR	Camso SKS 732	10	8.956.8435
	14-17.5 NH3	14 PR	Camso SKS 753	12	8.1027.8849
		14 PR	Camso SKS 775	12	8.1263.10870
-	10.5-18	10 PR	Camso 4L I3	23	14.234.7956
	10.5/80-18 IMP	10 PR	Camso SL R4	20	2.98.7990
	12.0/75-18 IMP	12 PR	Camso MPT 552	30	2.1076.9043
		10 PR	Camso SL R4	20	14.448.8054
	12 F 10	12 PR	Camso 4L I3	23	14.230.7954
	12.5-18	12 PR	Camso SL R4	20	14.503.4487
		16 PR	Camso 4L 13	23	14.1056.8961
	12.5/80-18 IMP	12 PR	Camso BHL 532	25	2.1240.10783
18		12 PR	Camso BHL 753	23	2.911.8060
		12 PR	Camso SL R4	20	2.100.7980
		12 PR	Camso TM R1	24	2.1248.10824
		16 PR	Camso SL R4	20	2.1132.9317
	280/80-18 IND	132 A8	Camso MPT 732	19	14.1215.9681
_	320/80-18 IND	139 A8	Camso MPT 732	19	14.1221.9705
	335/80R18	-	Camso MPT 553R	21	13.1223.9717
_	340/80-18 IND	143 A8	Camso MPT 732	19	14.1216.9685
		143 A8	Camso MPT 753	22	14.1016.8779
	405/70R18	-	Camso MPT 553R	21	13.1224.9719
	15-19.5 NHS	14 PR	Camso Hauler SKS	-	8.206.994
-		16 PR	Camso 4L R1	24	14.1199.9610
19.5	18-19.5	16 PR	Camso TM R4	20	14.1198.9606
	.0 .0.0	20 PR	Camso TM R4	20	14.1267.10897
_	445/70-19.5	20 PR	Camso MPT 753	22	14.1274.10923
	. 10,70 10.0	14 PR	Camso WL	33	(50.4059.4020)
		16 PR	Camso WEX 552	33	4.874.8072 (50.4060.4021)
		16 PR	Camso WEX 752	32	4.1260.10858 (50.4426.4383)
	10.00-20	16 PR	Camso WL	33	4.134.8052 (50.4053.4014)
		16 PR	Solideal AIR 550	-	(50.4342.4304)
		16 PR	Solideal Hauler SM	35	(50.2934.2909)
		16 PR	Solideal Hauler HA-TR	35	(50.2609.2573)
		(7.00)	Camso WEX 583S	36	9.1552.17798
		(7.00)	Solideal Magnum Bagger	36	9.117.10147
		(7.00)	Solideal RES 550 Magnum	52	9.117.15497
		(7.50)	Camso WEX 583S	36	9.1553.17800
20		(7.50)	Solideal Magnum Bagger	36	9.121.13193
		(7.50)	Solideal RES 550 Magnum	52	9.121.15499
		(8.00)	Camso WEX 583S	36	9.1554.17802
- -		(8.00)	Solideal RES 550 Magnum	52	9.126.15501
	10.5-20	10 PR	Camso 4L I3	23	14.235.2499
	11.00-20	16 PR	Solideal AIR 550	-	(50.4378.4339)
		16 PR	Solideal Hauler LT	35	(50.1944.1908)
		16 PR	Camso WL	33	(50.1944.1908)
		(7.50)	Solideal Magnum Bagger	36	9.555.13574
		(7.50)	Solideal RES 550 Magnum	52	9.788.15659
_		(8.00)	Solideal RES 550 Magnum	52	9.555.15573
	11.00-20 NHS	16 PR	Camso CMP 576	38	(50.2654.2629)
		18 PR	Camso CMP 576	38	(50.3500.3479)

TECHNICAL DATA | TYRES

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
		20 PR	Solideal AIR 550	-	(50.4346.4308)
		20 PR	Solideal Hauler SM	35	(50.438.433)
		20 PR	Solideal Hauler HA-TR	35	(50.2611.2575)
		20 PR	Solideal Hauler LT	35	(50.427.422)
	12.00.20	(8.00)	Solideal Magnum Bagger	36	9.131.18282
	12.00-20	(8.00)	Camso WEX 583S	36	9.1555.17804
		(8.00)	Solideal RES 550 Magnum	52	9.131.15503
		(8.50)	Camso WEX 583S	36	9.1556.17806
		(8.50)	Solideal Magnum Bagger	36	9.135.10149
		(8.50)	Solideal RES 550 Magnum	52	9.135.15505
	12.5-20	12 PR	Camso 4L I3	23	14.236.7958
	14.5-20	14 PR	Camso 4L I3	23	14.239.7960
	290/90-20	18 PR	Camso WEX 752	32	4.1245.10805
		(7.50)	Camso SKS 782S	14	9.550.8595 (Left) / 9.549.8591 (Right)
		(7.50)	Camso SKS 786S	16	9.470.8400
	31x10-20	(7.50)	Camso SKS 792S	14	9.794.12197 (Left) / 9.793.12195 (Right)
	22	(7.50)	Camso SKS 793S	15	9.1297.14967
		(7.50)	Camso SKS 796S	16	9.795.12189
_	335/80R20	-	Camso MPT 553R	21	14.1122.9297
	000/001120	(7.50)	Camso SKS 782S	14	9.552.8603 (Left) / 9.551.8599 (Right)
		(7.50)	Camso SKS 786S	16	9.475.8411
	33x12-20		Camso SKS 792S	14	9.809.12624 (Left) / 9.796.12199 (Right)
	33X1Z-ZU	(7.50)			
		(7.50)	Camso SKS 793S	15	9.1296.14965
20		(7.50)	Camso SKS 796S	16	9.798.12191
	340/80-20 IND	144 A8	Camso MPT 753	22	14.1017.8783
	365/80R20		Camso MPT 553R	21	13.1226.9723
	36x14-20	(7.50)	Camso SKS 792S	14	9.800.12205 (Left) / 9.799.12203 (Right)
		(7.50)	Camso SKS 793S	15	9.1298.14969
	385/70-20	(10.00)	Camso MPT 793S	28	9.1510.16377
	400/70-20 IND	149 A8	Camso MPT 732	19	14.1217.9689
		155 A8	Camso MPT 753	22	14.1018.8787
		12 PR	Camso 4L I3	23	14.251.2608
	405/70-20	14 PR	Camso 4L I3	23	14.252.7962
		14 PR	Camso 4L R1	24	14.391.3741
		14 PR	Camso TM R4	20	14.636.7978
		16 PR	Camso TM R4	20	14.948.8399
		-	Camso MPT 553R	21	14.1121.9295
	500/45-20 IND	158 A8	Camso WEX 732	34	4.1157.9373
		14	Camso WEX 552	33	4.1028.8859 (50.4291.4253)
	0.05.00	14	Camso WEX 752	32	4.1261.10862 (50.4427.4384)
_	8.25-20	14	Camso WL	33	50.4052.4013
		16	Solideal Hauler LT	35	(50.273.269)
	9.00-20	14 PR	Solideal AIR 550	-	(50.4341.4303)
		14 PR	Camso WEX 552	33	(50.4038.3996)
		14 PR	Camso WEX 752	32	4.1262.10866 (50.4425.4382)
		14 PR	Camso WL	33	(50.4054.4015)
		(7.00)	Camso WEX 583S	36	9.1551.17796
		(7.00)	Solideal RES 550 Magnum	52	9.1293.15619
		16 PR	Camso 4L R1	24	
_	18-22.5				14.365.9598
	245 /70 00 5	16 PR	Camso TM R4	20	14.1197.9602
	315/70-22.5	-	Camso WEX 553	34	4.1246.10807
22.5		10.00	0		0.000.007
22.5	385/65-22.5 NHS 445/70-22.5	16 PR 20 PR	Camso Hauler SKS Camso MPT 753	- 22	8.232.8044 14.1275.10927

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
	12.00-24	24 PR	Camso MST 776	52	13.1013.8745
	12.00-24	(8.50)	Camso WEX 583S	36	9.1557.17808
		12 PR	Camso TLH 732	49	6.986.8617
		12 PR	Camso TLH 753	22	6.985.8613
	10.00.07	16 PR	Camso GRD 732	49	6.1292.10989
	13.00-24	16 PR	Camso TLH 732	49	6.989.8625
		16 PR	Camso TLH 753	22	6.988.8621
		(8.50V)	Camso TLH 792S	27	9.1088.13697 (Left) / 9.1089.13699 (Right)
	13.00-24 TG	12 PR	Camso TLH 532	50	6.891.7888
		12 PR	Camso TLH 732	49	6.991.8633
		12 PR	Camso TLH 753	22	6.990.8629
		16 PR	Camso GRD 732	49	6.1296.10997
		16 PR	Camso TLH 732	49	6.994.8641
	14.00-24	16 PR	Camso TLH 753	22	6.993.8637
		28 PR	Solideal Hauler LT	35	(50.3972.4200)
		(8.50V)	Camso TLH 792S	27	9.1144.14049 (Left) / 9.1145.14051 (Right)
		(10.00)	Camso WEX 583S	36	9.1558.17810
		(10.00)	Solideal RES 550 Magnum	52	9.141.15507
	14.00-24 TG	12 PR	Camso TLH 532	50	6.894.7902
	14.00 24 1G	*	Camso GRD 533R	51	6.1120.9293
	14.001(24	12 PR	Camso BHL 532	25	2.621.6135
	14.9-24 IND	12 PR	Camso SL R4	20	2.260.2710
	15.5/80-24 IMP	14 PR	Camso 4L R1	24	14.393.7966
	40.00.07	16 PR	Camso 4L R1	24	14.507.4517
	16.00-24	16 PR	Camso GRD 732	49	6.1127.9307
	16.5/85-24 IMP	14 PR	Camso 4L R1	24	14.506.7968
24	16.9-24 IND	12 PR	Camso BHL 532	25	2.622.6136
		12 PR	Camso SL R4	20	2.107.7982
		10 PR	Camso BHL 532	27	2.620.6134
	17.5L-24 IND	10 PR	Camso SL R4	25	2.103.570
		12 PR	Camso SL R4	20	2.456.4293
		12 PR	Camso BHL 532	20	2.725.7217
	19.5L-24 IND	12 PR	Camso BHL 753	25	2.914.8066
		12 PR	Camso SL R4	23	2.109.583
		12 PR	Camso BHL 532	20	2.624.6138
	21L-24 IND	12 PR	Camso SL R4	25	2.112.590
		16 PR	Camso BHL 753	20	2.1289.10983
	375/85-24	(10.00)	Camso MPT 793S	28	9.1525.16618
	400/70-24 IND	158 A8	Camso MPT 753	22	14.1019.8791
	400/70R24 IND	152 A8	Camso MPT 532R	21	14.1155.9367
	400/80-24 IND	162 A8	Camso MPT 753	22	14.1020.8795
	400/00 Z4 IND	162 A8	Camso TM R4	20	14.897.8157
	400/80R24 IND	156 A8	Camso MPT 532R	21	14.1156.9369
	405/70-24	14 PR	Camso 4L I3	23	14.253.7964
	403/70-24	14 PR	Camso 4L R1	24	14.392.3743
	440/90-24 IND	154 A8	Camso MPT 732	19	14.1232.10749
	440/80-24 IND	168 A8	Camso TM R4	20	14.945.8373
	440/80R24 IND	161 A8	Camso MPT 532R	21	14.1129.9311
		159 A8	Camso 4L R1	24	2.1200.9614
	460/70-24 IND	159 A8	Camso MPT 753	22	14.1015.8775
		159 A8	Camso TM R4	20	14.1002.8689
	460/70R24 IND	159 A8	Camso MPT 532R	21	14.1125.9303
	500/70-24 IND	157 A8	Camso MPT 732	19	14.1218.9693
	500/70R24 IND	164 A8	Camso MPT 532R	21	14.1126.9305

TECHNICAL DATA | TYRES

	DAL DAIA				
RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
		12 PR	Camso MPT 773	-	14.1192.9584
	14.00-25	20 PR	Camso MPT 773	-	14.1193.9588
		12 PR	Camso LM L2	47	13.421.8057
	15 5 05	12 PR	Camso LM L3	47	13.420.8056
	15.5-25	16 PR	Camso LM L2	47	13.521.4944
		16 PR	Camso LM L3	47	13.551.7952
	15.5R25	**	Camso MPT 553R	21	13.1225.9721
		32 PR	Solideal Hauler LT	35	1.644.8339
	16.00-25	(11.25)	Solideal Magnum Bagger	36	9.422.16708
		(11.25)	Solideal RES 550 Magnum	52	9.422.15567
		12 PR	Camso LM L2	47	13.423.3849
		12 PR	Camso LM L3	47	13.422.4657
		16 PR	Camso LM L2	47	13.490.4315
		16 PR	Camso LM L3	47	13.489.4665
	17.5-25	16 PR	Camso WHL 773	48	13.971.8541
		16 PR	Camso WHL 775	48	13.961.8461
		20 PR	Camso LM L3	47	13.541.5228
		24 PR	Camso LM L2	47	13.1014.8765
		24 PR	Camso LM L3	47	13.1264.10874
		*/**	Camso EMT 538R	46	13.1194.9592
	17.5R25	**	Camso WHL 753R	42	13.680.7090
		**	Camso WHL 776R	44	13.879.7860
		16 PR	Camso LM L2	47	13.425.7950
		16 PR	Camso LM L3	47	13.424.4874
	20.5-25	20 PR	Camso LM L3	47	13.491.4904
		20 PR	Camso WHL 773	48	13.972.8545
25		20 PR	Camso WHL 775	48	13.962.8465
		**	Camso ADT 753R	51	13.880.7862
	20.5R25	**	Camso WHL 753R	42	13.681.7092
	20.5R25	**	Camso WHL 775R	44	13.881.7864
		*/**	Camso EMT 538R	46	13.1195.9594
		20 PR	Camso LM L3	47	13.427.4913
		20 PR	Camso WHL 773	48	13.973.8549
	23.5-25	20 PR	Camso WHL 775	48	13.963.8469
		24 PR	Camso LM L3	47	13.493.4902
		24 PR	Camso WHL 773	48	13.974.8553
		**	Camso ADT 753R	51	13.733.7248
		**	Camso WHL 753R	42	13.682.7094
	23.5R25	**	Camso WHL 775R	44	13.882.7866
		**	Camso WHL 776R	44	13.883.7868
		*/**	Camso EMT 538R	46	13.1196.9596
		20 PR	Camso LM L3	47	13.428.4914
	26.5-25	28 PR	Camso LM L3	47	13.495.4920
	20.0 20	28 PR	Camso WHL 773	48	13.975.8557
		28 PR	Camso WHL 775	48	13.964.8473
		**	Camso ADT 753R	51	13.884.7870
	26.5R25	**	Camso WHL 775R	44	13.885.7872
	20.01120	**	Camso WHL 776R	44	13.886.7874
		**	Camso WHL 753R	42	13.684.7098
	29.5-25	28 PR	Camso LM L3	47	13.666.6942
		**	Camso ADT 753R	51	13.734.7250
	29.5R25	**	Camso WHL 775R	44	13.887.7876
		**	Camso WHL 753R	42	13.686.7102

RIM DIAMETER	TYRE SIZE	PR/LI (HEEL WIDTH)	NEW PRODUCT NAME	PAGE NUMBER	TYRE (FULLSET) PART NUMBER
	600/65R25	*	Camso EMT 553R	46	13.1151.9357
25	650/65R25	*/**	Camso EMT 553R	46	13.1152.9359
	750/65R25	**	Camso EMT 553R	46	13.1154.9363
		12 PR	Camso 4L R1	24	2.337.3276
	40 / 00 IND	12 PR	Camso BHL 532	25	2.625.6139
	18.4-26 IND	12 PR	Camso BHL 753	23	2.913.8064
26		12 PR	Camso SL R4	20	2.113.592
	23.1-26 IND	12 PR	Camso CMP 533	38	3.949.8451
	480/80-26 IND	160 A8	Camso MPT 732	19	14.1219.9697
	480/80R26 IND	160 A8	Camso MPT 532R	21	14.1130.9313
		12 PR	Camso BHL 532	25	2.626.6140
	16.9-28 IND	12 PR	Camso BHL 753	23	2.912.8062
		12 PR	Camso SL R4	20	2.116.7984
00	18.4-28 IND	12 PR	Camso SL R4	20	2.118.602
28	385/45-28	18 PR	Camso Hauler SKS	-	8.670.7004
	/ / O / OO OO INID	156 A8	Camso MPT 732	19	14.1220.9701
	440/80-28 IND	156 A8	Camso MPT 753	22	14.1271.10911
	440/80R28 IND	156 A8	Camso MPT 532R	21	14.1131.9315
30	420/80-30 IND	155 A8	Camso SL R4	20	2.614.6038

All resilient tyres have a Quick heel design, unless indicated otherwise.

Some tyres are also available in Non-Marking tread compound and as assemblies. Contact your sale representative for availability.

Check rim for size, especially on width, as this should correspond to tyrebase marking. Check also max. load of rim with rim manufacturer, as wheel load will be restricted by lowest load capacity, either the one given by the rim or by the tyre.

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
		39		НН	В	R	Standard	63
		39		ST	J	R	Rail Type	63
		40		ST	J	R	Rail Type	63
180	72	41	Camso CTL HXD	ST	J	R	Rail Type	63
100	12	42	Carriso CTL HAD	ST	J	R	Rail Type	63
		44		ST	J	R	Rail Type	63
		45		ST	J	R	Rail Type	63
		47		ST	J	R	Rail Type	63
		39		ST	J	R	Rail Type	63
		41		ST	J	R	Rail Type	63
230	72	42	Camso CTL HXD	ST	J	R	Rail Type	63
		44		ST	J	R	Rail Type	63
		45		ST	J	R	Rail Type	63
250	72	39	Camso CTL HXD	НН	В	R	Standard	63
	, , ,	52	Calliso CTETIAD	HH	В	D	Standard	63
300	84	46	Camso CTL HXD	HH	В	Е	Standard	63
		49		НН	В	E	Standard	63
		52		НН	В	E	Standard	63
320	86	53	Camso CTL HXD	НН	В	E	Standard	63
		54		HH	В	Е	Standard	63
		52		HH	J	W	Rail Type	63
		49		HH	В	Е	Standard	63
		50		НН	В	Е	Standard	63
		52		HH	В	Е	Standard	63
400	86	53	Camso CTL HXD	HH	В	Е	Standard	63
		55		НН	В	E	Standard	63
		56		НН	В	E	Standard	63
		60		НН	В	E	Standard	63
		42		НН	В	E	Standard	63
		52		HH	В	E	Standard	63
		53		НН	В	E	Standard	63
		55		НН	В	E	Standard	63
	86	56	Camso CTL HXD	HH	В	E	Standard	63
450		58		HA	В	E	Standard	63
		59		HH	В	E	Standard	63
		60		HH	В	E	Standard	63
		63		HH	В	E	Standard	63
	100	48	Camso CTL HXD	HH	J	E	Rail Type	63
		50		HH	J	Е	Rail Type	63
		/ 5		D	D		04	C.F.
		45		В	В	<u>Е</u> Е	Standard	65 65
		48		B	В		Standard	
		49		B	В	E E	Standard	65
320	86	50 52	Compa CTL CD	B	В		Standard	65
320	80		Camso CTL SD	B	В	E	Standard	65
		53 56		<u>В</u> В	B B	<u>Е</u> Е	Standard Standard	65
		46		В В	J	W		65 65
		52		В В	J	W	Rail Type Rail Type	65
						VV E		
		49		B	B	E E	Standard	65 65
400	86	50	Camso CTL SD	В	В		Standard	65
		52		B	В	E	Standard	65
		53		В	В	Е	Standard	65

	1			1				
WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
		54		В	В	E	Standard	65
		55		В	В	E	Standard	65
		56		В	В	E	Standard	65
		58		В	В	E	Standard	65
		52		В	В	E	Standard	65
		53		В	В	E	Standard	65
	86	55	- Camso CTL SD	В	В	E	Standard	65
450		56		В	В	E	Standard	65
		58		В	В	E	Standard	65
		59		В	В	E	Standard	65
		60		В	В	E	Standard	65
		63		В	В	E	Standard	65
		48		В	J	E	Rail Type	65
	100	50	Camso CTL SD	В	J	E	Rail Type	65
							31.	
		62		АН	I	KA	3S	59
		64		АН	1	KA	3S	59
		66		AH	I	KA	3S	59
230	48	68	Camso MEX HXD	AH	I	KA	3S	59
		70		AH	I	KA	3S	59
		72		АН	I	KA	3S	59
		76		AH	I	KA	3S	59
		73		AH	ı	SA	3S / Narrow	59
		74		АН	ı	SA	3S / Narrow	59
		75		AH	ı	WA	3S / Wide	59
		77		AH	I	SA	3S / Narrow	59
		78		АН	ı	SA	3S / Narrow	59
		79		AH	ı	SA	3S / Narrow	59
		79		АН	ı	WA	3S / Wide	59
300	55	81	Camso MEX HXD	AH	I	SA	3S / Narrow	59
		81		AH	ı	WA	3S / Wide	59
		83		AH	I	SA	3S / Narrow	59
		85		AH	I	SA	3S / Narrow	59
		86		AH	I	WA	3S / Wide	59
		87		AH	ı	WA	3S / Wide	59
		88		AH	I	SA	3S / Narrow	59
		82		AH	ı	WA	3S	59
	52.5	86	- Camso MEX HXD	AH	I	WA	38	59
350		90	-	AH	ı	WA	3S	59
	55	86	Camso MEX HXD	V1	J	SA	3S	59W
	73	76	Camso MEX HXD	AH	J	EA	3S / Rail Type	59
		72		AH	ı	EA	3S / Wide	59
		73		AH	ı	WA	3S / Narrow	59
		74		AH	ı	EA	3S / Wide	59
	72.5	74	- Camso MEX HXD	AH	ı	WA	3S / Narrow	59
400	_	76		AH	ı	EA	3S / Wide	59
		82		AH	i	EA	3S / Wide	59
		74		AH	J	EA	3S / Rail Type	59
	73	76	Camso MEX HXD	AH	J	EA	3S / Rail Type	59
	75.5	74	Camso MEX HXD	AH	J	WA	3S / Offset / Rail Type	59
	. 5.5							

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
	71	84	Comes MEVIVD	АН	I	JA	3S	59
	71	86	Camso MEX HXD	АН	I	JA	3S	59
		74		AH	I	JA	3S	59
	76	80	Camso MEX HXD	AH	I	JA	3S	59
	70	82	Calliso WLX LIXD	AH	I	JA	3S	59
450		84		AH	I	JA	3S	59
400		74		AH	I	AA	3S / Wide	59
		76		AH	l l	AA	3S / Wide (36)	59
	81	76	Camso MEX HXD	AH	I	AA	3S / Wide	59
		76		AH	I	OA	3S / Narrow	59
		78		AH	I	OA	3S / Narrow	59
	83.5	74	Camso MEX HXD	AH	J	UA	3S / Offset / Rail Type	59
485	92	72	Camso MEX HXD	AH	l l	D	Offset	59
		78	•	AH	I	DA	3S	59
500	92	80	Camso MEX HXD	AH	ı	DA	3S	59
		84	-	AH	ı	DA	3S	59
		88		AH	I	DA	3S	59
130	72	29	Camso MEX SD	А	А	R	Standard	60
		28		S	Α	F	Standard	60
		30	•	S	Α	F	Standard	60
		34		S	Α	F	Standard	60
	60	35	Camso MEX SD	S	Α	F	Standard	60
		37		S	Α	F	Standard	60
		38		S	Α	F	Standard	60
		31		Х	Α	R	Standard	60
		32		Х	Α	R	Standard	60
		34		Х	Α	R	Standard	60
		35		Х	Α	R	Standard	60
		36		Х	Α	R	Standard	60
		37		X	Α	R	Standard	60
180		38		X	Α	R	Standard	60
		39		Χ	Α	Р	Standard	60
		39		X	Α	R	Standard	60
	72	40	Camso MEX SD	X	Α	R	Standard	60
		42		X	Α	R	Standard	60
		35		Р	В	R	Rail Type	60
		37		Р	В	R	Rail Type	60
		38		Р	В	R	Rail Type	60
		39		Р	В	R	Rail Type	60
		40		Р	В	R	Rail Type	60
		41		Р	В	R	Rail Type	60
		42		Р	В	R	Rail Type	60
		43		Р	В	R	Rail Type	60
		34		Α	Α	Р	Standard	60
		37		Α	Α	Р	Standard	60
		38		A	A	P	Standard	60
		39		A	A	P	Standard	60
		40		Α .	A	P	Standard	60
		41		Α	A	P	Standard	60
200	72	42	Camso MEX SD	A	Α	P	Standard	60
		42		X	Α	R	Standard	60
		43		X	A	R	Standard	60
		44		X	Α	R	Standard	60
		43		V4	J	P	Rail Type	60
		45		V4	J	Р	Rail Type	60

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
		60		V1	I	KA	3S	60
		62		V1	I	KA	3S	60
		64		V1	I	KA	3S	60
		66		V1	I	KA	3S	60
		68		V1	1	KA	3S	60
	48	70	Camso MEX SD	V1	1	KA	3S	60
		72		V1	I	KA	3S	60
		74		V1	I	KA	38	60
		76		V2	I	KA	3S	60
		70		V5	J	KA	3S / Rail Type	60
		70		ZZ	J	K	Rail Type	60
		37		Α	А	Р	Standard	60
		39		Α	A	P	Standard	60
		40		Α	A	P	Standard	60
230		41		A	A	P	Standard	60
		42		A	A	P	Standard	60
		43		Α	A	P	Standard	60
		45		Α .	A	P	Standard	60
		47		Α .	A	P	Standard	60
	70	48		A	A	Р	Standard	60
	72	50	Camso MEX SD	A	A	Р	Standard	60
		52		A	A	Р	Standard	60
		54		A	A	P	Standard	60
		56		A	A	<u>Р</u> Р	Standard	60
		57 59		A	A	Р	Standard	60
				А В	A	Р	Standard	60
		42 56		В	A A	Р	Standard Standard	60
		46		V4	J	<u>г</u> Р	Rail Type	60
		47		V4 V4	J	Р	Rail Type	60
		72		V1	I	KA	38	60
		76		V1	·	KA	38	60
	48	78	Camso MEX SD	V1	i	KA	38	60
		80	04.1100 11127.00	V1	ı	KA	38	60
		82		V1	1	KA	38	60
		41		D	A	P	Standard	60
		45		D	A	P	Standard	60
		47		D	А	P	Standard	60
		48		D	А	P	Standard	60
		50		D	А	P	Standard	60
	72	52	Camso MEX SD	В	А	Р	Standard	60
		52		D	А	Р	Standard	60
250		52		R1	А	PR	Standard	60
		56		В	А	Р	Standard	60
		64		В	А	Р	Standard	60
		57		D	Α	Р	Standard	60
	47	84	Camso MEX SD	V5	J	KA	3S / Rail Type	60
	48.5	84	Camso MEX SD	OZ	J	KA	3S / Offset / Rail Type	60
		76		V1	I	SA	3S / Narrow	60
		77		V1	I	SA	3S / Narrow	60
	52.5	78	Camso MEX SD	V1	Į.	SA	3S / Narrow	60
		80					3S / Narrow	60
		78		V5	J	SA	3S / Rail Type	60
	55.5	79	Camso MEX SD	V1	J	SA	3S / Rail Type	60
260	55.5	78	Camso MEX SD	OY	J	S	Rail Type	60
280	52.5	82	Camso MEX SD	V5	J	SA	3S / Rail Type	60
200	JZ.Ü	86	Calliso WEA SD	V5	J	SA	3S / Rail Type	60

S3	WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
Section Sect		E2	80	Compo MEV SD	V5	J	SA	3S / Rail Type	60
SS			84	Calliso WEX 3D	V5	J	SA	3S / Rail Type	60
1		55	77	Camso MEX SD		J	SF	Rail Type	60
1						J			
74						l I			
Total						!			
1 SA						· ·			
1						· .			
Page									
1									
Solution									
Section Sect						· ·			
Section Sect						i			
Second S					V1	I			
Record R			82		V1	1	WA	3S / Wide	60
Record R	300	52.5	84	Camso MEX SD	V1	1	SA	3S / Narrow	60
Record R			84		V1	I	WA	3S / Wide	60
Second Process			86		V1	I	SA	3S / Narrow	60
Second Resident			86		V1	I	WA	3S / Wide	60
Page			88		V1	I	SA	3S / Narrow	60
Page			88		V1	I	WA	3S / Wide	60
Page			90		V1	I	WA	3S / Wide	60
No. No.			92		V1	I	SA	3S / Narrow	60
Section Sect			98		V1	I			60
No. No.									
Section Sect									
The component of the									
The state of the									
Section									
The color of the		55.5		Camso MEX SD					
320 100 43									
100									
Second	320	100		Camso MEX SD					
Section Sect									
Section Sect			84		V1		WA		
Section Sect		52.5	86	Camso MEX SD	V1	1	WA	3S	60
A00	350		88		V1	I	WA	3S	60
Page		54.5	86	Camso MEX SD	V1	J	WA	3S / Rail Type	60
Table Tabl			68		V1	I	EA	3S / Wide	60
Table Tabl			72		V1	I	EA	3S / Wide	60
Table Tabl			72		V1	I	WA	3S / Narrow	60
The following colors The following colors The following colors			73		V1	I	WA	3S / Narrow	60
The state of the	400	72.5		Camso MEX SD					
The color of the						l l			
R2									
T4									
No. No.									
450 84 Camso MEX SD V1 I JA 3S 60 450 86 V1 I JA 3S 60 450 76 V1 I AA 3S / Wide (36) 60 V1 I AA 3S / Wide (36) 60 V1 I AA 3S / Wide (36) 60 V1 I OA 3S / Narrow (60) V1 I OA 3S / Narrow (60)									
450 86 V1 I JA 3S 60 76 76 76 76 76 V1 I AA 3S/Wide (36) 60 V1 I AA 3S/Wide 60 V1 I AA 3S/Wide 60 V1 I OA 3S/Narrow 60 V1 I OA 3S/Narrow 60		71		Camso MEX SD					
450 81		/ 1		Gambo WEA 3D					
10 10 10 10 10 10 10									
This can be a second of the	450								
78 V1 I OA 3S / Narrow 60		81		Camso MEX SD					
55,5 ,		83,5	74	Camso MEX SD	Z2	i	EA	38	60

WIDTH	PITCH	LINK	PRODUCT NAME	TREAD	GUIDING	METAL PIECE NAME	METAL PIECE TYPE	PAGE NUMBER
381	100	42	Camso MTL HXD	MTL1	-	-	-	66
	100	56	Camso MTL HXD	MTL2	-	-	-	66
457	100 (200)	51	Camso MTL HXD	MTL2	-	-	-	66
	100 (201)	51	Camso MTL HXD	MTL2	-	-	=	66
		26		-	-	-	-	67
		27		-	-	-	-	67
10	152.4	28	Camso Rubber OTT	-	-	-	-	67
		29		-	-	-	-	67
		31		-	-	-	-	67
		29		-	-	-	-	67
		30		-	-	-	-	67
12	152.4	31	Camso Rubber OTT	-	-	-	-	67
		32		-	-	-	-	67
		33		-	-	-	-	67
400	224	36	Camso Paver HXD	Smooth	-	-	-	68
(06	224	31	- Camso Paver HXD	Smooth	-	-	-	68
406	224	31	- Camso Paver HXD	Chevron	-	-	-	68
		26		Smooth				60

406 224 31 Camso Paver HXD Smooth - - - - 68 Chevron - - - - 68 Camso Paver HXD Smooth - - - 68 Chevron - - 68	400	224	36	Camso Paver HXD	Smooth	-	-	-	68
31 Chevron 68 36 Smooth 68 Camso Paver HXD	/06	224	31	Compo Dovor HVD	Smooth	-	-	-	68
457 224 — Camso Paver HXD — Camso Paver HXD	406	224	31	Camso Paver HXD	Chevron	-	-	-	68
36 Chevron 68	/57	224	36	Comes Daver LIVD	Smooth	-	-	-	68
	457	224	36	Camso Paver HXD	Chevron	-	-	-	68

700 100	96	— Camso Carrier HXD —	A2	В	T	Standard	68	
	100	98	— Camso Carrier HXD —	A2	В	T	Standard	68
750	150	66	Camso Carrier HXD	A2	В	T	Standard	68

WIDTH (mm)	TYRE SIZE	LINK	PRODUCT NAME	DESCRIPTION	PAGE NUMBER
335	10-16.5 / 27x10.5-15	18	Camso Steel OTT	335x18x263 B T10 S	67
380	12-16.5	20	Camso Steel OTT	380x20x263 B T12 S	67

WIDTH (mm)	PITCH	PRODUCT NAME	DESCRIPTION	PAGE NUMBER
400	135	Camso EXC HXD PADS	RP-400125AHB	- 61
			RP-400125AHC	
450	140	Camso EXC HXD PADS	RP-450130AHA	
	154	Camso EXC HXD PADS	RP-450145AHA	61
			RP-450145AHB	
500	171.5	Camso EXC HXD PADS	RP-500165AHB	61
600	190	Camso EXC HXD PADS	RP-600185AHA	61

^{*}Verify exact fitment with the machine serial number at: https://camso.co/en/products-solutions/construction

5 YEAR TYRE WARRANTY[†]

All Camso products are guaranteed to be free from defects due to materials and workmanship.

If a product is deemed defective upon our examination and analysis inside a period of five (5) years from the manufacture of the product, Camso will provide an allowance against the current purchase price. The allowance will be determined by Camso, to be applied towards the purchase of a new product, based on the remaining unused portion of the tread or warrantable lifetime on the defective product.

The cost of transportation, service, and sales tax, already paid will be borne by the owner of the Camso product making the claim. Warranty will not apply if the Camso product has been installed incorrectly, altered, repaired or misused in any matter whatsoever, which, in our opinion, has affected the performance of the tyre.

Camso can not be held responsible for damages or claims caused by the tyre whether such damages are direct or indirect, special, consequential or otherwise. Any liability is strictly limited to repair or reduction of an applicable purchase, according to the mentioned provision in our General Claim Policy and Adjustments.

This warranty is for the exclusive benefit of the owner and is transferrable to a subsequent owner but is not otherwise assignable.

WARRANTY TERMS CONSTRUCTION TRACK**

Track Series				
Machine Type	Months of Service***	Hours Limit***		
Camso SD series				
CTL	18	1500		
MEX	30	2500		
Camso HXD series				
CTL	24	2000		
MEX	42	3500		
EXC PADS	36	3000		
MTL	14	1200		
RUBBER OTT	12	No Limit		
STEEL OTT	24	No Limit		
CRR	12	1000		
RHV	12	1000		
PAV	18	1500		
SPROCKETS	18	1500		

^{**} This is an extract of our warranty certificate.

For the complete warranty details please visit connectbeyondroad.michelingroup.com

[†]This text is an extract of our General Claim Policy and Adjustments, which is the only valid and applicable Policy.

^{***} Whichever comes first. If unknown months of service, manufacturing date will be used.

CAMSO DIGITAL TOOLS

CAMSO WEBSITE

Developed for those who work and play on a surface that isn't a road, Camso.co provides information and tools wherever and whenever users need them, no matter what device they're using: a phone, a tablet or a computer.

camso.co

- Product selectors for OTR tires, tracks and track systems for the Construction, Material Handling, Agriculture, and Powersports industries
- Dedicated content such as testimonials, videos, best practices and industry news
- Service and support information including warranty documents, data books and fitment guides
- Contact finder



BEYOND ROAD CONNECT

<u>connectbeyondroad.michelingroup.com</u> or on the <u>App Store</u>

Beyond Road connect, previously known as the Camso Connect, is a tool that facilitates the explanation of the features and benefits of our Material Handling, Construction and Agricultural products.

- Accessible off-line with the iOs app version
- Complete product information, including features and benefits and product sheets
- 360 views of products and action videos
- Product support information



CONNECT WITH US FOR EXCLUSIVE ROAD FREE CONTENT



@camso.co



/camoplastsolideal



@camso_co



@camso_co



@camso_co



