# WARRANTY CLAIMS PROCEDURE CPB-383

# AGRICULTURAL TRACK

Case IH Quadtrac Rowtrac and combine New Holland T8 Smarttrax and combine







#### **Table of Contents**

Introduction	
Supporting Documents	
Pre-Approval Filing Instructions for Rubber Tracks	
Warranty	
Appendix A - Preapproval Form Sample	
Appendix B - Photo Evidence Requirements	

#### Introduction

The purpose of this document is to describe the procedure to request warranty consideration on Camso tracks provided to CNH OEM production or purchased through CNH OEM service parts in North America.

#### **Supporting Documents**

The documents listed below should be referenced in preparation of a pre-approval request: CPB-460 Rubber Track Service Conditions and Warranty Guidelines CPB-371 Warranty Certificate – Positive Drive Case IH and New Holland Products

#### Pre-Approval Filing Instructions for Rubber Tracks

Camso uses the pre-approval process in order to determine claim eligibility. To avoid unnecessary duplication of work and follow-up calls, and to expedite legitimate claims, it is recommended you follow these steps when considering a track pre-approval request:

#### Step 1

Use Camso document CPB-460 Rubber Track Service Conditions and Warranty Guidelines together with a track inspection to determine if a warrantable condition exists.

#### Step 2

If inspection concludes a warrantable condition may exist, the dealer should determine if the track is eligible for warranty consideration based on the age and hours of use. Refer to the CPB-371 Warranty Certificate – Positive Drive Case IH and New Holland Products warranty certificate in order to determine the warranty eligibility.

#### Step 3

If eligible, submit a track warranty pre-approval request using Camso form CPB-0363AG Pre Approval Form prior to any action (such as track replacement). Email the completed form and requested pictures to <a href="mailto:agwarranty@camso.co">agwarranty@camso.co</a> Correct email format is shown on following page.

Note: All pre-approval form information must be completed, with photos included together in a single email, or additional follow-up will delay the process. Missing photos or information is the primary cause for delayed responses or requests.

### Pre-Approval Request Example

Note: SUBJECT LINE includes Subject - Model - PIN - Customer - Location - Track PN

TO: Agwarranty@camso.co



#### **Special Notes**

- Only 1 track should be submitted per pre-approval form. If more than 1 track is being requested for review, submit using multiple pre-approval forms and separate emails.
- Replacement of mating non-failed track is not covered. When a track with significant wear is replaced, customer may choose to replace opposite side but this replacement will be at customer's expense.

#### Step 4

Once the pre-approval is reviewed, one of 3 determinations may occur:

#### **DENIED** as non-warrantable

The pre-approval has been denied so no credit will be issued.

#### **DENIED** as non-disabling with documentation

The pre-approval is denied at present time. A minor defect may exist but it is non-disabling (such as cosmetic voids, minor cracks or partial separation of tread, guide lugs, or carcass) but track is functional and usable. Documentation of the request is kept on file by Camso for future reference. Customer should continue to run the track, and a 2nd pre-approval request may be submitted if condition causes track to become unusable. If resubmitted later and approved, track will be prorated on months of service and wear at the time of replacement.

#### **APPROVED**

The pre-approval is accepted. Camso will determine the amount of warranty reimbursement, notify the dealer, and will forward the credit information to the Camso distributor covering the dealer's territory. Dealer may apply credit at the Camso distributor when ordering replacement track. Dealer/Distributor must provide replacement track serial number to Camso warranty referencing the claim ID. Dealer will receive a prorated credit based on dealer net price of Camso replacement track. Camso may recall the track, or request photo proof of the "disabled" track to prevent further use.

## Warranty

Please refer to CPB-371 Warranty Certificate – Positive Drive Case IH and New Holland Products warranty certificate for more details on warranty term and coverage.

#### Calculation of Replacement Allowance / Credit

When Camso accepts a request for pre-approval, Camso will provide written communication to the requesting CNH dealer and identify what percentage of the replacement cost will be paid by the end user. The amount is prorated based on the months of service and the hours before failure. Camso will also Cc: the appropriate aftermarket distributor so that they will be aware a warranty replacement track will be ordered from them by the CNH dealer. It is intended the CNH dealer credits the end user based on the covered percentage of the retail price (ref. MSRP), while the aftermarket distributor will credit the CNH dealer at Dealer net price.

For final release of the warranty credit, the distributor (or dealer) must provide the Camso replacement track part and serial number to Camso.

#### Example

After 7 months and 691 hours of non-agricultural service, P/N 84182441 (scraper track) has a failure which renders the track unusable. The service guide is consulted and indicates a probable warrantable failure, and as a result a pre-approval request is then submitted.

The request is reviewed and pre-approved by Camso. Since this is a scraper track, the appropriate table on **CPB-371 Warranty Certificate – Positive Drive Case IH and New Holland Products** is Table 1 (Non-Agricultural use). Months of service is 7 months (use 0-12 row in Table 1), and hours are 691 (use 501-750 column in Table 1). This indicates customer participation is 40%, or end user will pay 40% of the replacement track price (ref. MSRP) to the CNH dealer, while the CNH dealer will receive a 60% dealer net credit through the Camso aftermarket distributor, to be used for purchase of a comparable Camso series track.

Since the customer paid less than 50% of the new track cost, the warranty replacement track finishes out the remainder of the original track warranty period (5 months or 309 hours, whichever comes first), rather than starting a new warranty period.

#### Other Notes for CNH Dealers

Pre-approvals for OEM tracks (8 digit part number with no hyphens) are to be requested directly to Camso and IF PREAPPROVED, then processed between the CNH dealer and Camso distributor.

Pre-approvals for non-OEM tracks (i.e. Camso warranty replacement tracks, as well as Camso tracks purchased outright from the Camso distributor network) are to be requested through the Camso aftermarket distributor from which they were purchased or obtained, not directly to Camso.

# Appendix A - Preapproval Form Sample

Please download and use the PDF form available at Camso CNH dealer website: https://camso.co/en/agriculture/service-and-support/cnh-dealers

CPB-0363	PF	REAPPROV	AL/CLAIM REG	UEST FOR	S M	
		_			nenus with indicated	with a down arrow
Request Date		Claim Part		Pull down ii	ienus with indicated	with a down arrov
Source Dealer				(Entity who pur	chased from Camso	o)
Source Location	1		(For credit purposes)			
					•	
Dealer Name				(Entity that sold	d track to end user)	
Dealer Address						
Dealer City,State						
Dealer Contact						
Contact Phone						
				1		
End User Name						
amoplast Solideal Te	erritory Rep				Phone	
		MACH	IINE INFORMA	TION		
Manufacturer	Model	Serial #	Туре	Model Year	Machine Hours	Application
		DAF	T INCODMATI			
			RT INFORMATION			
Subn			equest form (but p			
OLAUMED BART	Part # / Size	Position	Serial # / Lot Code	Part Hours	Warranty Start	Fail Date
CLAIMED PART						
OPP. SIDE INFO Defect Type			If Other, list			
			ı ır Otner, list			
	und Information (I	Include details ar	nd warranty guide refe	rences)		
Description / Backgrou	,			,	ATION CALCUI	LATIONS)
Description / Backgrou	,		nd warranty guide refe	FOR PRORA	ATION CALCUI	LATIONS)  Measure Units
Description / Backgrou	,		nd warranty guide refe	FOR PRORA	ATION CALCUI	
TREAD HEIG	GHT MEASUR	EMENTS (W	nd warranty guide refe HEN REQUIRED MEASUREMENT	FOR PRORA		Measure Units
Description / Backgrou	GHT MEASUR  It Value  E POSITION	EMENTS (W	nd warranty guide refe HEN REQUIRED MEASUREMENT	FOR PRORA		Measure Units
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT Which Undercarriage? Position	GHT MEASUR at Value E POSITION	EMENTS (W	HEN REQUIRED  MEASUREMENT B	FOR PRORA		Measure Units
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT Which Undercarriage? Position	SHT MEASUR  It Value  E POSITION  are required for	EMENTS (W	HEN REQUIRED  MEASUREMENT B	FOR PRORA		Measure Units
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT Which Undercarriage? Position  read height measurements ny rubber tracks except CN	It Value E POSITION  are required for H QUADTRAC	EMENTS (W	HEN REQUIRED  MEASUREMENT B	FOR PRORA		Measure Units
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT Which Undercarriage? Position  read height measurements ny rubber tracks except CN	It Value E POSITION  are required for H QUADTRAC	EMENTS (W	HEN REQUIRED  MEASUREMENT B	FOR PRORA		Measure Units
TREAD HEIG  Tread Height  IF AG WHEEL INDICAT Which Undercarriage? Position  read height measurements ny rubber tracks except CN leasurements not required to	AT PRICE TO STATE OF COLUMN AND THE POSITION  THE POSITION ARE THE POSITION AND THE POSITIO	EMENTS (W	HEN REQUIRED  MEASUREMENT B  PHOTOS	FOR PRORA T LOCATION C	D	Measure Units
TREAD HEIG  Tread Height  IF AG WHEEL INDICAT  Which Undercarriage? Position  read height measurements not required to leasurements	AT MEASUR  It Value  E POSITION  are required for H QUADTRAC for CTL,MX,MTL,OTT  LEASE MAKE SU	EMENTS (W	HEN REQUIRED  MEASUREMENT B	FOR PRORA F LOCATION C	D D D D D D D D D D D D D D D D D D D	0.0 Average
TREAD HEIG  Tread Height  IF AG WHEEL INDICAT  Which Undercarriage? Position  read height measurements not required to leasurements	AT MEASUR  It Value  E POSITION  ARE required for H QUADTRAC for CTL,MX,MTL,OTT  LEASE MAKE SU DO NOT SEND PI	EMENTS (W  A  RE THERE ARE HOTOS LARGER	HEN REQUIRED  MEASUREMENT B  PHOTOS  AT LEAST 8 PICTURE	FOR PRORATION C	DR EACH CLAIM.	0.0 Average
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT Which Undercarriage? Position  read height measurements ny rubber tracks except CN leasurements not required in	ATT MEASUR  It Value  E POSITION  ARE REQUIRED FOR THE QUADTRAC FOR CTL,MX,MTL,OTT  LEASE MAKE SU  DO NOT SEND PI  WHOLE MACHIN	EMENTS (W  A  RE THERE ARE HOTOS LARGER	HEN REQUIRED  MEASUREMENT  B  PHOTOS  AT LEAST 8 PICTURE  R THAN 1200x800 RES  PLEMENTS ATTACHE	FOR PRORATION C	DR EACH CLAIM.	0.0 Average
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT Which Undercarriage? Position  read height measurements by rubber tracks except CN easurements not required in the control of	are required for H QUADTRAC for CTL,MX,MTL,OTT  LEASE MAKE SU DO NOT SEND PI WHOLE MACHIN WHOLE UNDERG	EMENTS (W  A  B  RE THERE ARE HOTOS LARGER JE WITH ANY IMICARRIAGE OF C	HEN REQUIRED  MEASUREMENT  B  PHOTOS  AT LEAST 8 PICTURE  R THAN 1200x800 RES  PLEMENTS ATTACHE	FOR PRORA LOCATION C SINCLUDED FOOLUTION OR 50 D (IF APPLICAB	DR EACH CLAIM.	0.0 Average
TREAD HEIG  Tread Heigh  FAG WHEEL INDICAT Which Undercarriage? Position  read height measurements by rubber tracks except CN easurements not required to the company of th	are required for H QUADTRAC for CTL,MX,MTL,OTT  LEASE MAKE SU DO NOT SEND P J WHOLE MACHIN WHOLE UNDERGRED SPROCKET / DR	EMENTS (W  A  B  RE THERE ARE HOTOS LARGER NE WITH ANY IMI CARRIAGE OF C	PLEMENTS ATTACHE	FOR PRORA  T LOCATION  C  S INCLUDED FOOLUTION OR 50  D (IF APPLICAB	DR EACH CLAIM.	0.0 Average
TREAD HEIG  Tread Height  IF AG WHEEL INDICAT  Which Undercarriage? Position  read height measurements ny rubber tracks except CN leasurements not required in the control of the control	are required for H QUADTRAC FOR CTL,MX,MTL,OTT  LEASE MAKE SU DO NOT SEND PI WHOLE MACHIN WHOLE UNDER SPROCKET / DRACT DEFECT A PART DEFECT A	EMENTS (W  A  B  RE THERE ARE HOTOS LARGER NE WITH ANY IMI CARRIAGE OF C	PHOTOS  AT LEAST 8 PICTURE R THAN 1200x800 RES PLEMIED PART TO SHOWING CONDITA  ADJACENT FEATURE	FOR PRORA  T LOCATION  C  S INCLUDED FOOLUTION OR 50  D (IF APPLICAB	DR EACH CLAIM.	0.0 Average
TREAD HEIG  Tread Height  F AG WHEEL INDICAT  Which Undercarriage?  Position  read height measurements not required to the property of the pro	are required for H QUADTRAC FOR CTL,MX,MTL,OTT  LEASE MAKE SU DO NOT SEND PI WHOLE MACHIN WHOLE UNDER SPROCKET / DRACT DEFECT A PART DEFECT A	RETHERE ARE HOTOS LARGER WE WITH ANY IMI CAIVEMEEL PHO AREA SHOWING CLOSEUP (in foc	PHOTOS  AT LEAST 8 PICTURE R THAN 1200×800 RES PLEMENTS ATTACHE LAIMED PART TO SHOWING CONDITADJACENT FEATURE us)	FOR PRORA  T LOCATION  C  S INCLUDED FOOLUTION OR 50  D (IF APPLICAB	DR EACH CLAIM.	0.0 Average
TREAD HEIG  Tread Heigh  IF AG WHEEL INDICAT  Which Undercarriage? Position  read height measurements ny rubber tracks except CN feasurements not required if  P PLEASE Photo 1 Photo 2 Photo 3 Photo 4 Photo 5	are required for H QUADTRAC for CTL,MX,MTL,OTT  LEASE MAKE SU DO NOT SEND PI WHOLE MACHIN WHOLE UNDER! SPROCKET / DR PART DEFECT A PART DEFECT C	RETHERE ARE HOTOS LARGER WE WITH ANY IMI CAIVEMEEL PHO AREA SHOWING CLOSEUP (in foc	PHOTOS  AT LEAST 8 PICTURE  T HAN 1200×800 RES  PLEMENTS ATTACHE  LAIMED PART TO SHOWING CONDITACHE TO SHOWING CONDITACHE LUS)  US)	FOR PRORA  T LOCATION  C  S INCLUDED FOOLUTION OR 50  D (IF APPLICAB	DR EACH CLAIM.	0.0 Average

**Camso Track Claim Request Form** 

CPB-0363 Version 1.2 September 2015

# Appendix B - Photo Evidence Requirements

The main objective of taking photographs is to reduce the number of follow-up questions and verify the reported track conditions, in order to expedite the processing of the request.

- It is important to follow this guideline to present a true photo description of the conditions of use and the suspected failure.
- In addition to providing photo evidence, the dealer is required to hold the product for 90 days for possible recall if additional inspection is required to substantiate the request.

Note: An average pre-approval request should include at least 8 photos.

Photo 1 Whole machine with any implements attached

Photo 2 Whole undercarriage of claimed part

Photo 3 Sprocket/Drivewheel photo showing condition

Photo 4 Part defect area showing adjacent features

Photo 5 Part defect close up (in focus)

Photo 6 Part defect close up (in focus)

Photo 7 Photo of logo and part number or size

Photo 8 Photo of track serial number

