

WE START WE START



WHERE WHERE

THE ROAD THE ROAD

ENDS ENDS

**TRAILED TRACK SYSTEM
FITMENT GUIDE**

TRAILED TRACK SYSTEM FITMENT GUIDE

EQUIPMENT	SPECIFICATIONS						TRACK SYSTEM P/N	FITMENT KIT P/N
	APPLICATION	WHEEL COLOR	TRACK WIDTH (IN)	TRACK SYS OVERALL LENGTH (IN)	AXLE GAUGE (IN)	AXLE PIN DIAMETER		
TRACK SYSTEM								
30-1611GY1-0072	Ag	Gray	16.5	83.1	--	90 mm	30-1611GY1-0072	--
30-1612GY1-0072	Ag	Gray	16.5	72.7	--	90 mm	30-1612GY1-0072	--
35-1813GY1-0072	Ag	Gray	18.0	72.7	--	90 mm	35-1813GY1-0072	--
35-2011GY1-0072	Ag	Gray	20.0	72.7	--	90 mm	35-2011GY1-0072	--
35-2211GY1-0072	Ag	Gray	22.0	72.7	--	90 mm	35-2211GY1-0072	--
35-2511GY1-0072	Ag	Gray	25.0	72.7	--	90 mm	35-2511GY1-0072	--
40-2512GY1-0072	Ag	Gray	25.0	83.1	--	90 mm	40-2512GY1-0072	--
40-1511GY1-0077	Ag	Gray	15.0	104.0	--	114 mm	40-1511GY1-0077	--
45-1815GY1-0077	Ag	Gray	18.0	104.0	--	114 mm	45-1815GY1-0077	--
70-2516GY1-0063	Ag	Gray	25.0	103.5	--	114 mm	70-2516GY1-0063	--
70-3011GY1-0063	Ag	Gray	30.0	103.5	--	114 mm	70-3011GY1-0063	--
70-3611GY1-0063	Ag	Gray	36.0	103.5	--	114 mm	70-3611GY1-0063	--
80-3013GY1-0065	Ag	Gray	36.0	136.2	--	140 mm	80-3013GY1-0065	--
100-3613GY1-0065	Ag	Gray	36.0	136.2	--	140 mm	100-3613GY1-0065	--
HARVEST CARTS								
J&M 1050/1051/1150/1151/1325/1326	Harvest	Gray	36.0	136.2	104	140 mm	100-3613GY1-0065	2K-0007
J&M 1050/1051	Harvest	Gray	36.0	103.5	104	114 mm	70-3611GY1-0063	2K-0039
Brent 882/884/1082/1084	Harvest	Gray	36.0	103.5	123	114 mm	70-3611GY1-0063	2K-0059
PLANTERS / SEED CARTS / STRIP TILL								
Case 1240/1245 PT planter (standard frame, 12" width mounting pads)	Planter	Gray	20.0	72.7	122	90 mm	35-2011GY1S3-0072	2K-0017
Case 1240/1245 PT planter (wide frame, 21.5" width mounting pads)	Planter	Gray	20.0	72.7	122	90 mm	35-2011GY1S3-0072	2K-0018
Case 1240/1245 PT planter (standard frame, 12" width mounting pads)	Planter	Gray	18.0	72.7	132	90 mm	35-1813GY1S3-0072	2K-0080
Case 1240/1245 PT planter (wide frame, 21.5" width mounting pads)	Planter	Gray	18.0	72.7	132	90 mm	35-1813GY1S3-0072	2K-0081
DB44 24R x 22" (pre 2012)	Planter	Yellow	16.5	72.7	88	90 mm	30-1612YL2S2-0072	2K-0013
DB44 24R x 22" (pre 2012)	Planter	Yellow	18.0	72.7	88	90 mm	35-1813YL2S2-0072	2K-0013
DB44 24R x 22" (pre 2012)	Planter	Yellow	22.0	72.7	110	90 mm	35-2211YL2S2-0072	2K-0019
DB44 24R x 22" (pre 2012)	Planter	Yellow	25.0	72.7	110	90 mm	35-2511YL2S2-0072	2K-0019
DB44 24R x 22" (2012-up)	Planter	Yellow	16.5	72.7	88	90 mm	30-1612YL2S2-0072	2K-0014
DB60 24R x 30"	Planter	Yellow	18.0	72.7	120	90 mm	35-1813YL2S2-0072	2K-0021
DB60 24R x 30"	Planter	Yellow	22.0	72.7	120	90 mm	35-2211YL2S2-0072	2K-0021
DB60 24R x 30"	Planter	Yellow	25.0	72.7	120	90 mm	35-2511YL2S2-0072	2K-0021
DB60 36R x 20" (pre 2014)	Planter	Yellow	22.0	72.7	100	90 mm	35-2211YL2S2-0072	2K-0022
DB60 36R x 20" (pre 2014)	Planter	Yellow	25.0	72.7	100	90 mm	35-2511YL2S2-0072	2K-0022
DB60 36R x 20" (pre 2014)	Planter	Yellow	18.0	72.7	120	90 mm	35-1813YL2S2-0072	2K-0016

Note 1: DB66/99 on 132" gauge requires in between row to be spaced out 28" to clear 22" track

TRAILED TRACK SYSTEM FITMENT GUIDE

EQUIPMENT	SPECIFICATIONS						TRACK SYSTEM P/N	FITMENT KIT P/N
	APPLICATION	WHEEL COLOR	TRACK WIDTH (IN)	TRACK SYS OVERALL LENGTH (IN)	AXLE GAUGE (IN)	AXLE PIN DIAMETER		
DB60 36R x 20" (2014-up)	Planter	Yellow	18.0	72.7	120	90 mm	35-1813YL2S2-0072	2K-0062
DB60 36R x 20" (2014-up)	Planter	Yellow	22.0	72.7	100	90 mm	35-2211YL2S2-0072	2K-0067
DB60 36R x 20" (2014-up)	Planter	Yellow	25.0	72.7	100	90 mm	35-2511YL2S2-0072	2K-0067
DB60 47R x 15"	Planter	Yellow	25.0	72.7	120	90 mm	35-2511YL2S2-0072	2K-0079
DB66 36R X 22"	Planter	Yellow	18.0	72.7	88	90 mm	35-1813YL2S2-0072	2K-0015
DB66 36R X 22"	Planter	Yellow	22.0	72.7	110	90 mm	35-2211YL2S2-0072	2K-0020
DB66 36R X 22"	Planter	Yellow	25.0	72.7	110	90 mm	35-2511YL2S2-0072	2K-0020
DB66 36R X 22" (see note 1 below)	Planter	Yellow	22.0	72.7	132	90 mm	35-2211YL2S2-0072	2K-0078
DB80 32R X 30"	Planter	Yellow	22.0	72.7	120	90 mm	35-2211YL2S2-0072	2K-0021
DB80 32R X 30"	Planter	Yellow	25.0	72.7	120	90 mm	35-2511YL2S2-0072	2K-0021
DB80 48R X 20" (pre 2014)	Planter	Yellow	22.0	72.7	100	90 mm	35-2211YL2S2-0072	2K-0023
DB80 48R X 20" (pre 2014)	Planter	Yellow	25.0	72.7	100	90 mm	35-2511YL2S2-0072	2K-0023
DB80 48R X 20" (2014-up)	Planter	Yellow	22.0	72.7	100	90 mm	35-2211YL2S2-0072	2K-0061
DB80 48R X 20" (2014-up)	Planter	Yellow	25.0	72.7	100	90 mm	35-2511YL2S2-0072	2K-0061
DB88 48R X 22"	Planter	Yellow	22.0	72.7	110	90 mm	35-2211YL2S2-0072	2K-0024
DB88 48R X 22"	Planter	Yellow	25.0	72.7	110	90 mm	35-2511YL2S2-0072	2K-0024
DB90 36R X 30"	Planter	Yellow	22.0	72.7	120	90 mm	35-2211YL2S2-0072	2K-0021
DB90 36R X 30"	Planter	Yellow	25.0	72.7	120	90 mm	35-2511YL2S2-0072	2K-0021
DB90 54R X 20" (pre 2014)	Planter	Yellow	25.0	72.7	100	90 mm	35-2511YL2S2-0072	2K-0023
DB90 54R X 20" (2014-up)	Planter	Yellow	25.0	72.7	100	90 mm	35-2511YL2S2-0072	2K-0061
DB99 54R X 22"	Planter	Yellow	25.0	72.7	110	90 mm	35-2511YL2S2-0072	2K-0024
DB99 54R X 22" (see note 1 below)	Planter	Yellow	22.0	72.7	132	90 mm	35-2211YL2S2-0072	2K-0162
DB120 48R X 30"	Planter	Yellow	25.0	72.7	120	90 mm	35-2511YL2S2-0072	2K-0152

Note 1: DB66/99 on 132" gauge requires in between row to be spaced out 28" to clear 22" track

camso.co

