

We are dedicated to supporting farmers in every step of their operations. For customer service, contact us toll free at 1844 CAMSOAG, or 1317671-7327, or by email at Ag.ProductSupport@camso.co

CONNECT WITH US FOR EXCLUSIVE CONTENT











camso.co



AGRICULTURE TRACKS AND WHEELS LINEUP FOR VERSATILE







DRIVING FARMING FORWARD

CAMSO AND VERSATILE

Everyday, we ask ourselves: "Is there a better way to drive farming forward?" We believe there is – by providing mobility solutions to help you get the job done

At Camso, we do it by developing and manufacturing the broadest range of tracks for all farming applications. Camso tracks increase mobility and floatation, and reduce soil compaction.

From field preparation to planting, harvesting and transport, Camso tracks help maximize your work while lowering you operation costs.

OUR TRACKS ARE THE APPROVED CHOICE OF MANUFACTURERS, ENDORSED BY DEALERS AND RECOGNIZED BY FARMERS.

DELTATRACK

Camso offers the broadest range of tracks and replacement wheels for your Versatile tractor.







FEATURES AND BENEFITS

DeltaTrack






High-grade rubber compounds

Maximizes performance and durability



Long lasting tread bar

Best balance between traction, cleanout and flotation, providing optimal traction and ride quality



Long lasting carcass

No material displacement during the manufacturing and curing process means increased durability and performance



Optimized positive drive lugs

Drive lug geometry designed specifically for Versatile DeltaTrack, allowing for maximum power transfer



Drive lug reinforcement

6500 only: Camso's unique feature designed to minimize risk of wear and tear in demanding high-pull applications

6 | 7

THE RIGHT TRACK FOR YOUR APPLICATION

DELTATRACK



TRACK SERIES	APPLICATIONS	SUGGESTED ANNUAL HOUR USAGE	FEATURES					PERFORMANCE
CAMSO AG 6500	AG scraper, ripper, heavy tillage and row crop	1000+	High-grade rubber compounds	Long lasting tread bar	Longest lasting carcass	Optimized positive drive lugs	Drive lug reinforcement	TREAD BAR LIFE CARCASS DURABILITY
CAMSO SCR 6500	Scraper	1000+	High-grade rubber compounds	Long lasting tread bar	Longest lasting carcass	Optimized positive drive lugs	Drive lug reinforcement	TREAD BAR LIFE CARCASS DURABILITY
CAMSO AG 3500	General tillage and row crop	0 to 1000	High-grade rubber compounds	Long lasting tread bar	Longest lasting carcass	Optimized positive drive lugs		TREAD BAR LIFE CARCASS DURABILITY

PERFORMANCE AND DURABILITY FROM THE INSIDE OUT

Camso long lasting carcass

No material displacement during the manufacturing and curing process means:

- Rubber compounds located exactly where you need them
- Uniform tension distribution, minimizing downtime due to carcass tear
- A product with increased durability and performance



DURABLE, CONSISTENT AND PREDICTABLE PERFORMANCE

DELTATRACK

	TRACK SERIES		LENGTH (in)	CAMSO PART NUMBER	OEM PART NUMBER	DESCRIPTION	TREAD BARS				DRIVELUG	CARCASS		\$
TRACTOR MODEL							ντο	HEIGHT (in.)	TIP WIDTH (in.)	PITCH (in.)	סר פדץ	BIAS PLY	MAIN CABLE SIZE (mm)	THICKNESS (mm)
	6500	30	252	E30BJ03378	86085159	Scraper w/ HE Breakers for MTS	84	1.9	2.2	6	42	3	5.4	36
DeltaTrack		30	252	E30BJ02878	86057259	General AG	84	2	1.7	6	42	3	5.4	35
		30	252	E30BJ02896	86056209	Scraper	84	1.9	2.2	6	42	3	5.4	35
		36	252	E36BJ02895	86057260	General AG	84	2	1.7	6	42	3	5.4	35
	3500	30	252	B30BJ02836	86052504	General AG	84	2	1.7	6	42	3	5.4	35
		36	252	B36BJ02810	86052505	General AG	84	2	1.7	6	42	3	5.4	35

Warranty: Camso is the industry standard for warranty coverage on Agricultural tracks. Tracks are warrantied against defects in materials and workmanship, and prorated based on both time and usage, so customers receive fair value on warranty replacement tracks. Some conditions apply. Refer to the warranty certificate for details. For more info, visit camso.co/agriculture

REPLACEMENT IDLER AND MIDROLLER WHEELS

PRODUCT FAMILY	CAMSO PART NUMBER	OEM PART NUMBER	COATING TYPE	MODEL/TRACK WIDTH COMPATIBILITY
DeltaTrack				
Idler	5W-0261P	86046287	Rubber	All
Midroller	4W-5005P	86058444	Polyurethane	All