

CAMSO MEX SD



MINI-EXCAVATORS



PREDICTABLE SERVICE LIFE AND PERFORMANCE

The best mini-excavator solution for heavy-duty applications. Designed to provide superior life as well as resistance against irreversible damages for a long and predictable service life.

camso.co

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE




TRACTION



CAMSO MEX SD

PATENTED 3S INTERNAL IRON CORE

- Prevents detracking and minimizes vibrations for better ride quality and lower maintenance cost



HIGH-TENSILE, RUBBER SEALED STEEL CABLES PROTECTED BY HEAVY-DUTY CARCASS AND TREAD

- Resists carcass punctures and cable corrosion to extend service life

CURBSHIELD TECHNOLOGY

- Extends service life prior to track degradation process triggered by edge cutting leading to iron core corrosion

WIDTH	PITCH	TREAD	GUIDING	METAL PIECE NAME	CARCASS THICKNESS	LUG HEIGHT	METAL PIECE TYPE	METAL PIECE SPECIFICATION
130	72	A	A	RB	18	15	STANDARD	STANDARD
180	60	S	A	F	16	13	STANDARD	STANDARD
		X	A	R	20	15	STANDARD	NARROW
	72	X	A	P	21	17	STANDARD	WIDE
		P	B	R	21	17	RAILTYPE	STANDARD
200	72	A	A	P	22	15	STANDARD	WIDE
		X	A	R	20	15	STANDARD	NARROW
		V4	J	P	24.5	17	RAILTYPE	WIDE
230	72	A	A	P	22	18	STANDARD	WIDE
		B	A	P	22	18	STANDARD	WIDE
		V4	J	P2	21.5	17	RAILTYPE	WIDE
	48	V1	I	KA	22	18	3S	STANDARD
		V5	J	KA	29.5	20	3S RAILTYPE	STANDARD
		ZZ	J	K	22.5	23	RAILTYPE	STANDARD
96	R1	I	K	24	23	STANDARD	STANDARD	
250	72	D	A	P	24	17	STANDARD	WIDE
		R1	A	PR	30	18	STANDARD	WIDE
	48	V1	I	KA	27	20	3S	STANDARD
	52.5	V1	I	SA	29	24	3S	NARROW
	55.5	V1	J	SA	32.5	24	3S RAILTYPE	STANDARD
260	55.5	OY	J	S	32.5	24	RAILTYPE	STANDARD
280	52.5	V5	J	SA	31	24	3S RAILTYPE	STANDARD
300	52.5	V1	I	SA	31	23	3S	NARROW
		V1	I	WA	31	23	3S	WIDE
	53	V5	J	SA	32	25	3S RAILTYPE	STANDARD
	55	Y2	J	SF	36	25	RAILTYPE	STANDARD
	55.5	O	J	SA	34	20	3S OFFSET - RAILTYPE	STANDARD
350	52.5	V1	J	WA	39	25	3S RAILTYPE	STANDARD
	52.5	V1	I	WA	30	22	3S	WIDE
400	72.5	V1	I	EA	39	25	3S	WIDE
		V1	I	WA	39	25	3S	NARROW
450	71	V1	I	JA	44	25	3S	STANDARD
	81	V1	I	AA	42	28	3S	WIDE
		V1	I	OA	42	28	3S	NARROW

CAMSO MEX SD

TREAD PATTERNS

